Volume 10
1985

TRANSITION METAL CHEMISTRY

An International Journal

Editorial Board

P. Chiusoli (Parma)
R. J. H. Clark (London)
R. D. Gillard (Cardiff)
M. Green (Bristol)
M. Green (York)
W. P. Griffith (London)
M. B. Hursthouse (London)
Y. Jeannin (Paris)
B. F. G. Johnson (Cambridge)
J. A. McCleverty (Birmingham)
L. Markó (Veszprém)
D. M. P. Mingos (Oxford)
U. Schubert (Würzburg)
B. L. Shaw (Leeds)
M. V. Twigg (Billingham)

Editor-in-Chief

Dr. D. R. M. Walton
School of Chemistry and Molecular Sciences
University of Sussex
Brighton BN1 9QJ, England
Telephone (02 73) 60 67 55

Associate Editor

A. Garcia-Leigh (Brighton)

Published by

VCH Verlagsgesellschaft mbH
P.O. Box 1260/1280
D-6940 Weinheim
Federal Republic of Germany

Telephone (0 62 01) 602-0
Telex 465516 vchwh d
Telefax (0 62 01) 602-328

ODICAL
D
72
6
76
IBRARY

For the USA and Canada: Published monthly by VCH Verlagsgesellschaft mbH, Weinheim, Federal Republic of Germany. Airfreighted and mailed by Publications Expediting Inc., 200 Meacham Avenue, Elmont NY 11003. Second-class postage paid at Jamaica NY 11431. Annual subscription price: US $ 350.00 including postage and handling charges. Subscribers should place their orders through VCH Publishers, Inc., 303 N.W. 12th Avenue, Deerfield Beach FL 33442-1705; Telex 5 101 011 140 VCHPUB; Phone (305) 428-5566. – Printed in the Federal Republic of Germany.

U.S. Postmaster: Send address changes to VCH Publishers, Inc., 303 N.W. 12th Avenue, Deerfield Beach FL 33442-1705.

© VCH Verlagsgesellschaft mbH, D-6940 Weinheim, 1985. – Printed in the Federal Republic of Germany by Schwetzinger Verlagsdruckerei GmbH, D-6830 Schwetzingen. – All rights reserved (including those of translations into foreign languages). Subscription Price: Volume *10* (1985) DM 584.– (plus postage); Single copies: DM 58,–; Editor-in-Chief: Dr. D. R. M. Walton, Univ. of Sussex, School of Molecular Sciences, Brighton BN1 9QJ, England; Advertising Manager; R. J. Roth, D-6940 Weinheim; Published by VCH Verlagsgesellschaft mbH, (Managing Directors: Prof. Dr. Helmut Grünewald and Hans Dirk Köhler), Pappelallee 3, P. O. Box 1260/1280, D-6940 Weinheim, Federal Republic of Germany. Transition Metal Chemistry does not publish book reviews; books submitted for review will not be returned.
Valid for users in the USA: The appearance of the code at the bottom of the first page of an article in this journal (serial) indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated percopy fee through the Copyright Clearance Center, Inc., for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purpose, for creating new collective work, or for resale. For copying from back volumes of this journal see "Permissions to Photo-Copy: Publisher's Fee List" of the CCC.

Author Index

The annual author and keyword indexes were prepared by the Chemical Abstracts Service. Accordingly, abbreviations occurring in the index entries are those regularly used in Chemical Abstracts.

Abu-Salah, O. M. A ^{13}C nuclear magnetic resonance study of some linear alkynyl gold(I) and silver(I) complexes. 207

Ahrweiler, P. M. Iron(III) complexes of some thiosemicarbazones derived from 2-acetylpyridine, its 6-methyl derivative and its N-oxide. 264

Al-Najjar, I. M. A ^{13}C nuclear magnetic resonance study of some linear alkynyl gold(I) and silver(I) complexes. 207

Al-Ohaly, A. R. A. A ^{13}C nuclear magnetic resonance study of some linear alkynyl gold(I) and silver(I) complexes. 207

Al-Showiman, S. S. A ^{13}C nuclear magnetic resonance study of some linear alkynyl gold(I) and silver(I) complexes. 207

Alyea, E. C. Metal complexes of two potentially bidentate silicon-backbone phosphine ligands. 435

Amico, P. Mixed metal complexes in solution. Part 4. Formation and stability of heterobinuclear complexes of cadmium(II)-citrate with some bivalent metal ions in aqueous solution. 11

Anderson, S. N. The preparation and molecular structure of trans-$[MoCl_2(PMe_2Ph)_4]$. 29

Ang, K. P. Mixed-ligand complex formation of (2,2',2"-terpyridine)copper(I) and (2,2',2"-terpyridine)copper(II) with some sulfur-containing amino acids. 50

Ang, K. P. Crystal structures of the nickel(II) and copper(II) complexes of N,N'-bis(dehydroaceto)ethylenediimine. 375

Angeles Garralda, M. Rhodium(I) complexes with bidentate nitrogen heterocycles and their reactions with tin(II) chloride and carbon monoxide. 288

Angeles Garralda, M. Rhodium(I) complexes with bidentate nitrogen heterocycles and carbon monoxide (correction). 480

Antropiusova, H. The catalytic system $[(Cp_2TiCl)_2]$:lithium aluminum hydride in aromatic solvents, part II. Formation of η^3-allyltitanocene derivatives in the presence of dienes - their structure and ESR spectra. 302

Anumba, F. O. Coordination chemistry of poly(1-pyrazolyl)alkanes, part IV. Copper(II) complexes of bis- and tris(1-pyrazolyl)methane. 5

Arena, G. Copper(II)-EDTA-amino acid interactions. Stability constants and possible role in blood plasma models. 399

Arena, G. Mixed metal complexes in solution. Part 4. Formation and stability of heterobinuclear complexes of cadmium(II)-citrate with some bivalent metal ions in aqueous solution. 11

Arquero, A. Complexes of titanium tetrachloride, vanadium tetrachloride and tin tetrachloride or tetrabromide with Schiff bases derived from 2-aminobenzimidazole. 424

Attalla, M. I. A ruthenium-bound diquaternary viologen analog: the [1,1'-(1,3-propanediyl)bis(4,4'-bipyridinium]pentaammineruthenium(II) cation. 354

Awasthi, A. K. Kinetics and mechanism of the ruthenium(III)-catalyzed oxidation of aminoalcohols by alkaline hexacyanoferrate(III). 281

Awasthi, A. K. Kinetics and mechanism of the ruthenium(III)-catalyzed oxidation of aminoalcohols by cerium(IV) in a sulfuric acid medium. 379

Aygen, S. Kinetic and spectroscopic studies of the substitution reactions of $[Rh(acac)(CO)_2]$ with triphenylphosphite. 167

Ayoko, G. A. Stoichiometry and kinetics of the oxidation of hydroxylammonium ion by 12-tungstocobaltate(III) anion in aqueous solution. 218

Bailar, J. C. Jr. On the mechanism of racemization of dichlorobis(ethylenediamine)metal chlorides [metal = cobalt(III) or chromium(III)] in the solid state. 331

Bajpai, A. K. Chemistry of the phenylglyoxal-p-diethylaminoanil and/or thiourea substituted ammine complexes. 24

Balt, S. Proton NMR chemical shifts and hydrogen exchange rates of trans-$[Co(en)_2XY]^{n+}$ complexes in liquid ammonia. 164

Bandoli, G. Monooxorhenium(V) complexes with the tridentate Schiff base N-(2-hydroxyphenyl)salicylideneimine. 121

Bandyopadhyay, D. On the reported preparation of $[Mo_2O_4(acac)_2(H_2O)_2].H_2O$. 319

Bandyopadhyay, T. K. The ligating behavior of 3-hydroxyimino-2-butanone-1-benzoylhydrazone towards nickel(II) and copper(II) ions. 57

Banerjea, D. Kinetics and mechanism of formation and dissociation of copper(II) and nickel(II) complexes of the Schiff base bis(acetylacetone)ethylenediimine in aqueous-organic solvent media. 310

Banerjea, D. Complexation of uranium(VI) by salicylate and substituted salicylates: a kinetic study. 325

Banerjea, D. On the mechanism of racemization of dichlorobis(ethylenediamine)metal chlorides [metal = cobalt(III) or chromium(III)] in the solid state. 331

Banerjee, P. Kinetics and mechanism of thiocyanate anation of cis-β-diaqua(3,6-diazaoctane-1,8-diamine)cobalt(III) in aqueous medium. 252

Banerjee, R. Kinetics and mechanism of lead(2+) ion promoted aquation of trisoxalatochromate(III) in acid perchlorate media. 147

Banerjee, R. N. Kinetics and mechanism of formation and dissociation of copper(II) and nickel(II) complexes of the Schiff base bis(acetylacetone)ethylenediimine in aqueous-organic solvent media. 310

Banerjee, R. N. Complexation of uranium(VI) by salicylate and substituted salicylates: a kinetic study. 325

Barni, E. Copper(II) chloride and bromide complexes of 2-(2'-methyl-8'-quinolyl)benzoxazole and 2-(2'- or 4'-methyl-8'-quinolyl)benzimidazole. 249

Barrera, H. Transition metal complexes of γ-mercaptoalkylpiperidines. 233

Bartecki, A. Physicochemical studies on solid products of reactions of chromyl chloride and chromyl acetate with alkylaromatics. Part I. Infrared spectra and magnetic measurements. 63

Bashkin, J. Synthesis and structure characterization of $[(Ph_3P)AuCo(CO)_3(PPh_3)]$. 113

Bekheit, M. M. Ligational behavior of biacetylmonoxime-o-aminobenzoylhydrazone (H_2BMAB) towards some dipositive metal ions. 175

Belicchi, M. F. Synthesis and x-ray structures of dinitratobis[2-(2'-thienyl)-1-(2'-thienylmethyl)benzimidazole]copper(II) and dichlorobis[2-(2'-thienyl)benzimidazole]copper(II)-ethanol. 295

Beltran, D. Kinetic versus thermodynamic synthesis pathways of solid bimetallic coordination compounds - synthesis and crystal structure of some bimetallic compounds of glycine N,N'-1,2-cyclohexanediylbis[N-(carboxymethyl)]. 432

Benko, J. Kinetics of oxidation of pentaammineisothiocyanatocobalt(III) ion with peroxodisulfate and periodate in water and water-organic mixtures. 84

Benko, J. Effect of acid-base equilibria of reactants and the effect of water-organic mixtures on the kinetics of oxidation of cysteinsulfenatobis(ethylenediamine)cobalt(III) ion by periodate 401

Berhalter, K. The crystal and molecular structure of acetonitrilechlorodicyclopentadienyltitanium tetrachloroferrate(III). Some Moessbauer and x-ray photoelectron spectroscopic data. 393

Blandamer, M. J. Reactivity and solvatochromism of 2,2'-bi(4H-5,6-dihydrothiazine)tetracarbonylmolybdenum(0). 274

Boeyens, J. C. A. The mono- and bis(trichloroacetic acid) solvates of ferricinium trichloroacetate (correction). 480

Bolster, D. E. Exchange coupling in di-μ-hydroxo-bis[bis[(S)alaninato]chromium(III)]trihydrate. 161

Bonomo, R. P. Structure and spectroscopic characterization of the quaternary system: copper(II), pyridine-2,6-dicarboxylate, 2,2'-bipyridyl and pyridine. 316

Bontempelli, G. Cathodic behavior of nickel(II) in acetonitrile in the presence of carbon monoxide and substituted phosphines. 8

Bor, G. Synthesis of $[SCo_3(CO)_7(S_2COMe)]$ and the structure of its triphenylphosphine derivative. 344

Borras, J. Crystal structure and electronic properties of bis(mepirizole) copper(II) perchlorate. Correlation between the electronic spectrum and CuN_4 chromophore distortion from tetrahedral symmetry. 460

Borras, J. Cobalt(II), nickel(II) and copper(II) complexes with N-cyano-N'-methyl-N"(2-[(5-methyl-1H-imidazol-4-yl)methylthio]ethyl)guanidine. 214

Bowman, B. Isotopic oxygen exchange rates between vanadate ($[V_{18}O_{42}]^{12-}$) and water. 181

Bresciani-Pahor, N. Structure and spectroscopic characterization of the quaternary system: copper(II), pyridine-2,6-dicarboxylate, 2,2'-bipyridyl and pyridine. 316

Briant, C. E. Synthesis and structure characterization of $[(Ph_3P)AuCo(CO)_3(PPh_3)]$. 113

Burgess, J. Reactivity and solvatochromism of 2,2'-bi(4H-5,6-dihydrothiazine)tetracarbonylmolybdenum(0). 274

Campbell, N. J. X-ray structure of the peroxovanadate $[HV_2O_{11}]^{3-}$ ion in the ammonium peroxovanadate salt $(NH_4)_3[HO[VO(O_2)_2]_2].H_2O$. 353

Cano, F. H. Crystal structure and electronic properties of bis(mepirizole) copper(II) perchlorate. Correlation between the electronic spectrum and CuN_4 chromophore distortion from tetrahedral symmetry. 460

Carmona, D. New thiocarbonyl iridium and rhodium complexes with azolate type ligands. 28

Carvalho, M. F. N. N. A study of the protonation and alkylation of tert-butyl isocyanide in trans-$[M(CNBu\text{-}tert)_2(Ph_2PCH_2CH_2PPh_2)_2]$ (M = Mo or W): formation of carbyne-type complexes and their trans- to cis-isomerization. 427

Casabo, J. Mixed fluoroamine complexes of chromium(III). 128

Casellato, U. Synthesis, reactivity and x-ray crystal structures of mixed thiazolato- or carboxylatocarbonyl(phosphine)rhenium(I) complexes. 413

Castellani, L. Facile preparation of diethyl ether complexes of molybdenum and tungsten tetrachloride. 194

Caubet, A. Synthesis, spectroscopic and magnetic characterization of some iron(III)-nucleotide compounds. 90

Caubet, A. Synthesis, spectroscopic and magnetic characterization of some iron(III)-nucleotide compounds (correction). 356

Cervilla Avalos, A. Tungsten(VI) complexes formed in an excess of gluconic acid: a polarimetric and spectrophotometric study. 405

Chakravarty, B. Synthesis and mechanistic studies on the aquation of selenitoaquobis(diamine)cobalt(III) complexes. 171

Chakravorti, M. C. On the reported preparation of $[Mo_2O_4(acac)_2(H_2O)_2].H_2O$. 319

Chandrappa, G. T. Structural features of biologically active coordination compounds of vanillin semicarbazone. 94

Chandrappa, G. T. Synthesis and chemical characterization of biologically important complexes of vanillin thiosemicarbazone with manganese(II), iron(II), cobalt(II), nickel(II), copper(II), zinc(II), cadmium(II), and mercury(II). 299

Chaudhuri, M. K. The first reported syntheses and characterization of alkali metal trifluoronickelate(II) monohydrates, $MNiF_3.H_2O$ (M = NH_4, Na or K). 321

Chaudhuri, M. K. Reactions of vanadium(V) with alkali sulfate or thiocyanate. Evidence for the formation of oxodiperoxovanadate(V) complexes containing ionic sulfate. 333

Chaudhuri, N. R. The two trans-$[NiL_2(NCS)_2]$(L = N,N-dimethyl-1,3-propanediamine) isomers in the solid state and in solution. 476

Cherchi, V. Platinum(II) halide complexes with propan-1-amine. 76

Chiusoli, G. P. Nickel amination catalysts formed from heterogeneous phases and their homogeneous equivalent. 47

Chiusoli, G. P. Nickel-catalyzed synthesis of cyclooctatetraenes from substituted dipropargylamines. 350

Cinquantini, A. Electrochemical behavior of a series of N,N'-1,2-phenylenebis(salicylideneiminato) transition metal complexes. 370

Ciriano, M. A. New thiocarbonyl iridium and rhodium complexes with azolate type ligands. 28

Clack, D. W. Equilibria in complexes of N-heterocyclic molecules. Part 40. Electron densities in orbitals of iron(II) bound by N-heterocycles. 419

Corain, B. Cathodic behavior of nickel(II) in acetonitrile in the presence of carbon monoxide and substituted phosphines. 8

Corbella, M. Mixed fluoroamine complexes of chromium(III). 128

Costes, J. P. Four-coordinate nickel(II) and copper(II) complexes of 7-amino-4-methyl-5-aza-3-heptene-2-one. 185

Daniele, P. G. Mixed metal complexes in solution. Part 4. Formation and stability of heterobinuclear complexes of cadmium(II)-citrate with some bivalent metal ions in aqueous solution. 11

Das, J. K. Cobaloxime complexes containing imidazole and perchlorate or tetrafluoroborate anion 422

Dash, K. C. cis-Dioxo(N-salicylidene-2-aminophenolato)(imidazole)molybdenum(VI) complexes. 262

Dash, K. C. Cobaloxime complexes containing imidazole and perchlorate or tetrafluoroborate anion. 422

De, G. The two trans-$[NiL_2(NCS)_2]$(L = N,N-dimethyl-1,3-propanediamine) isomers in the solid state and in solution. 476

Dehnicke, K. Coordination compounds of disulfur dinitride. 361

Dengel, A. C. Tetrabutylammonium perruthenate: a new mild oxidant for alcohols. 98
De Robertis, A. Computer analysis of equilibrium data in solution. A method for computing the formation constants of two mass balance systems, from potentiometric measurements, applied to the hydrolysis of copper(II). Program ES3TM. (appendix). 1
Devillanova, F. A. Copper(I) complexes with N–methylbenzothiazole–2–thione and –2–selone. 368
Devoto, G. Halocuprate(II) complexes with isoxazolium and imidazolium derivatives. 149
Devoto, G. Copper(II) chloride and bromide complexes of 2–(2'–methyl–8'–quinolyl)benzoxazole and 2–(2'– or 4'–methyl–8'–quinolyl)benzimidazole. 249
Diaz, C. Mixed fluoroamine complexes of chromium(III). 128
Diaz, C. Mono– and poly–nuclear nickel(II) complexes with nitrite and potentially bidentate amines as ligands. 340
Di Bernardo, P. Formamidines and triazenes as precursors for the preparation of rhenium imido–complexes. 151
Digman, T. Reactivity and solvatochromism of 2,2'–bi(4H–5,6–dihydrothiazine)tetracarbonylmolybdenum(0). 274
Dikshit, S. K. Palladium(II), platinum(II) and platinum(IV) complexes of 2–mercapto–3–phenyl–4–quinazolinone: reactions of palladium(II) chloride and platinum(IV) chloride with 2–mercapto–3–phenyl–4–quinazolinone in the presence and absence of various N–heterocyclic bases. 469
Driessen, W. L. A tetrahedral copper(I) compound of pyrazole–substituted ethylenediamine. The crystal structure of [(N,N,N',N'–tetrakis(pyrazol–1'–ylmethyl)(1,2–diaminoethane)copper(I)](tetrafluoroborate)(acetonitrile). 390
Duatti, A. Formamidines and triazenes as precursors for the preparation of rhenium imido–complexes. 151
Dubey, R. K. Synthesis and electronic, magnetic and ESR studies of some bimetallic alkoxides of copper(II) with niobium(V) and tantalum(V). 473
Dubey, S. N. Ethylene– and o–phenylenediamine–N,N'–bis(dimethylmethylenephosphonic) acids as complexing agents. 60
Dudek, M. Oxopentacyano–complexes of molybdenum(IV) and tungsten(IV) in photolysis of octacyanometalates(IV). 271
Edwards, P. C. TMC literature highlights – 6. 357
Eid, A. E. Kinetics of the solvolysis of the cis–chloroazidobis(1,2–diaminoethane)cobalt(III) ion in water + tert–butanol mixtures. 223
El–Asmy, A. A. Ligational behavior of biacetylmonoxime–o–aminobenzoylhydrazone (H_2BMAB) towards some dipositive metal ions. 175
El–Bindary, A. A. New uranyl(VI) complexes with ONS ligand derived from aromatic acid hydrazides and phenyl isothiocyanate. Part III. 328
Ensling, J. Preparative and spectroscopic features of ferricenium tetrachloroferrate(III). Intercon–version to diferricenium μ–oxo–bis[trichlorofer–rate(III)]. 135
Erre, L. S. Copper(II) chloride and bromide complexes of 2–(2'–methyl–8'–quinolyl)benzoxazole and 2–(2'– or 4'–methyl–8'–quinolyl)benzimidazole. 249
Ertem, G. Transition metal ion complexes of a thiosemicarbazone derived from 6–methyl–2–acetylpyridine. 41
Ertem, G. Copper(II) complexes of 2–(pyrrolidinomethyl)– and 2–(3–pyrrolinomethyl)pyridine N–oxides. 131
Ertem, G. Iron(III) complexes of some thiosemicarbazones derived from 2–acetylpyridine, its 6–methyl derivative and its N–oxide. 264
Escriva, E. Kinetic versus thermodynamic synthesis pathways of solid bimetallic coordination compounds – synthesis and crystal structure of some bimetallic compounds of glycine N,N'–1,2–cyclohexanediylbis[N–(carboxymethyl)]. 432
Escuer, A. Dinuclear complexes with a μ–cyano ligand. Part XI. Synthesis and characterization of several derivatives of cis–[ammineaquabis(ethylenediamine)cobalt(3+). 466
Fabretti, A. C. Transition metal complexes with 2–methyl–, 3–methyl–, and 4–methylpiperidinodithiocarboxylate as ligands. 284
Fales, H. M. Plasma desorption mass spectrometry of transition metal complexes of thio– and selenosemicarbazones of 2–acetylpyridines. 141
Faraglia, G. Platinum(II) halide complexes with propan–1–amine. 76
Fenton, D. E. The reaction of 2,3,6,7–tetrahydro–(2–hydroxyphenyl)–7–phenyl–1–H–1,4–diazepine with copper(II) and nickel(II) salts. 437
Fernandez, A. Synthesis, spectroscopic and magnetic characterization of some iron(III)–nucleotide compounds. 90
Fernandez, A. Synthesis, spectroscopic and magnetic characterization of some iron(III)–nucleotide compounds (correction). 356
Filgueiras, C. A. L. Complexes of first row transition metals with meso–1,2–bis(propylsulfinyl)–ethane. 241
Flanagan, J. X–ray structure of the peroxovanadate $[HV_2O_{11}]^{3-}$ ion in the ammonium peroxovanadate salt $(NH_4)_3[HO\{VO(O_2)_2\}_2].H_2O$. 353
Flippen–Anderson, J. L. Iron(III) complexes of some thiosemicarbazones derived from 2–acetylpyridine, its 6–methyl derivative and its N–oxide. 264
Foces–Foces, C. Crystal structure and electronic properties of bis(mepirizole) copper(II) perchlorate. Correlation between the electronic spectrum and CuN_4 chromophore distortion from tetrahedral symmetry. 460
Fogagnolo, M. Synthesis, reactivity and x–ray crystal structures of mixed thiazolato– or carboxylatocarbonyl(phosphine)rhenium(I) complexes. 413
Font–Altaba, M. Mono– and poly–nuclear nickel(II) complexes with nitrite and potentially bidentate amines as ligands. 340
Franchini, G. C. Transition metal complexes with 2–methyl–, 3–methyl–, and 4–methylpiperidinodithiocarboxylate as ligands. 284
Fuertes, A. Kinetic versus thermodynamic synthesis pathways of solid bimetallic coordination compounds – synthesis and crystal structure of some bimetallic compounds of glycine N,N'–1,2–cyclohexanediylbis[N–(carboxymethyl)]. 432
Gallazzi, M. C. Facile preparation of diethyl ether complexes of molybdenum and tungsten tetrachloride. 194
Gamelkoorn, H. J. Proton NMR chemical shifts and hydrogen exchange rates of trans–$[Co(en)_2XY]^{n+}$ complexes in liquid ammonia. 164
Gangopadhyay, S. Kinetics and mechanism of formation and dissociation of copper(II) and nickel(II) complexes of the Schiff base bis(acetylacetone)ethylenediimine in aqueous–organic solvent media. 310
Gangopadhyay, S. Complexation of uranium(VI) by salicylate and substituted salicylates: a kinetic study. 325
Garcia, J. Crystal structure and electronic properties of bis(mepirizole) copper(II) perchlorate. Correlation between the electronic spectrum and CuN_4 chromophore distortion from tetrahedral symmetry. 460
Garcia, V. Rhodium(I) complexes with bidentate nitrogen heterocycles and their reactions with tin(II) chloride and carbon monoxide. 288
Garcia, V. Rhodium(I) complexes with bidentate nitrogen heterocycles and carbon monoxide (correction). 480
Garcia–Alonso, F. New cationic monocarbonyls of manganese(I) with nitriles and isonitriles. 19
Garcia–Vazquez, J. A. Synthesis and characterization of copper(II) and nickel(II) complexes of the Schiff base derived from 2–(2–aminophenyl)benzimidazole and salicylaldehyde. 410
Garcia–Vazquez, J. A. Complexes of titanium tetrachloride, vanadium tetrachloride and tin tetrachloride or tetrabromide with Schiff bases derived from 2–aminobenzimidazole. 424
Gasparri, G. F. Synthesis and x–ray structures of dinitratobis[2–(2'–thienyl)–1–(2'–thienylmethyl)benzimidazole]copper(II) and dichlorobis[2–(2'–thienyl)benzimidazole]copper(II)–ethanol. 295
Gebreyes, K. Studies of molybdenum thiolato–complexes. The chemical characterization and the crystal and molecular structures of two sulfido–bridged molybdenum(V) dimers, $[PhCH_2PPh_3]_2[Mo_2O_2S_2(SC_2H_4S)_2]$ and $[HNEt_3]_2[Mo_2S_4(SC_2H_4S)_2]$. 81
George, C. Iron(III) complexes of some thiosemicarbazones derived from 2–acetylpyridine, its 6–methyl derivative and its N–oxide. 264
Gervasio, G. Synthesis of $[SCo_3(CO)_7(S_2COMe)]$ and the structure of its triphenylphosphine derivative. 344
Ghosh, S. The ligating behavior of 3–hydroxyimino–2–butanone–1–benzoylhydrazone towards nickel(II) and copper(II) ions. 57
Ghosh, S. K. The first reported syntheses and characterization of alkali metal trifluoronickelate(II) monohydrates, $MNiF_3.H_2O$ (M = NH_4, Na or K). 321
Gilardi, R. Iron(III) complexes of some thiosemicarbazones derived from 2–acetylpyridine, its 6–methyl derivative and its N–oxide. 264
Gillard, R. D. TMC literature highlights – 6. 357
Gillard, R. D. Equilibria in complexes of nitrogen–heterocyclic molecules, part 44. The thermogravimetric behavior of a Schilt–Barbieri compound dicyanobis(1,10–phenanthroline)iron(II) dihydrate, $Fe(phen)_2(CN)_2.2H_2O$. 348
Gillard, R. D. Equilibria in complexes of N–heterocyclic molecules. Part 40. Electron densities in orbitals of iron(II) bound by N–heterocycles. 419
Gonzalez–Vilchez, F. Dinitrogen complexes of chromium(III) with chelating agents. 247
Gowda, N. M. N. Cationic carbonyl complexes of ruthenium(II) and osmium(II) containing 2,2'–bipyridyl and 1,10–phenanthroline. 236
Grancicova, O. Kinetics of oxidation of pentaammineisothiocyanatocobalt(III) ion with peroxodisulfate and periodate in water and water–organic mixtures. 84
Graziani, R. Synthesis, reactivity and x–ray crystal structures of mixed thiazolato– or carboxylatocarbonyl(phosphine)rhenium(I) complexes. 413
Green, M. TMC literature highlights. 2. 31
Green, M. TMC literature highlights – 4. 196
Griffith, W. P. Tetrabutylammonium perruthenate: a new mild oxidant for alcohols. 98
Griffith, W. P. X–ray structure of the peroxovanadate $[HV_2O_{11}]^{3-}$ ion in the ammonium peroxovanadate salt $(NH_4)_3[HO\{VO(O_2)_2\}_2].H_2O$. 353
Gupta, H. K. Palladium(II), platinum(II) and platinum(IV) complexes of 2–mercapto–3–phenyl–4–quinazolinone: reactions of palladium(II) chloride and platinum(IV) chloride with 2–mercapto–3–phenyl–4–quinazolinone in the presence and absence of various N–heterocyclic bases. 469
Hankovszky, O. H. Macrocyclic ligands with potential axial interactions. The preparation of copper(II), nickel(II) and cobalt(III) complexes of 7,14–bis(o–hydroxyphenyl)–5,12–dimethyl–1,4,8,11–tetraazacyclotetradeca–4,11–diene. 188
Hanus, V. The catalytic system $[(Cp_2TiCl)_2]$:lithium aluminum hydride in aromatic solvents, part II. Formation of η^3–allyltitanocene derivatives in the presence of dienes – their structure and ESR spectra. 302
Hatfield, W. E. Exchange coupling in di–μ–hydroxo–bis{bis[(S)alaninato]chromium(III)}trihydrate. 161
Hay, R. W. Macrocyclic ligands with potential axial interactions. The preparation of copper(II), nickel(II) and cobalt(III) complexes of 7,14–bis(o–hydroxyphenyl)–5,12–dimethyl–1,4,8,11–tetraazacyclotetradeca–4,11–diene. 188
Hay, R. W. Copper(II) and nickel(II) complexes of mono–oxocyclam(5–oxo–1,4,8,11–tetraazacyclotetradecane). Synthetic and potentiometric studies. 396
Hideg, K. Macrocyclic ligands with potential axial interactions. The preparation of copper(II), nickel(II) and cobalt(III) complexes of 7,14–bis(o–hydroxyphenyl)–5,12–dimethyl–1,4,8,11–tetraazacyclotetradeca–4,11–diene. 188
Hiese, Z. The first reported syntheses and characterization of alkali metal trifluoronickelate(II) monohydrates, $MNiF_3.H_2O$ (M = NH_4, Na or K). 321
Hill, J. O. An x–ray photoelectron spectroscopic study of some nickel(II) tetraaza macrocyclic complexes. 100
Holba, V. Kinetics of oxidation of pentaammineisothiocyanatocobalt(III) ion with peroxodisulfate and periodate in water and water–organic mixtures. 84
Hsieh, T. C. Studies of molybdenum thiolato–complexes. The chemical characterization and the crystal and molecular structures of two sulfido–bridged molybdenum(V) dimers, $[PhCH_2PPh_3]_2[Mo_2O_2S_2(SC_2H_4S)_2]$ and $[HNEt_3]_2[Mo_2S_4(SC_2H_4S)_2]$. 81
Hudson, R. A. Tetrabutylammonium perruthenate: a new mild oxidant for alcohols. 98
Hughes, D. L. The preparation and molecular structure of trans–$[MoCl_2(PMe_2Ph)_4]$. 29
Hulsbergen, F. B. A tetrahedral copper(I) compound of pyrazole–substituted ethylenediamine. The crystal structure of [(N,N,N',N'–tetrakis(pyrazol–1'–ylmethyl)(1,2–diaminoethane)copper(I)](tetrafluoroborate)(acetonitrile). 390
Hummel, H. U. Equilibria in complexes of nitrogen–heterocyclic molecules, part 44. The thermogravimetric behavior of a Schilt–Barbieri compound dicyanobis(1,10–phenanthroline)iron(II) dihydrate, $Fe(phen)_2(CN)_2.2H_2O$. 348
Hussain, M. S. Bis(N–propyl–1,3–imidazolidine–2–thione)gold(I) chloride: crystal and molecular structure. 178
Hussein, A. Copper(I) complexes with N–methylbenzothiazole–2–thione and –2–selone. 368
Hvastijova, M. Cyanato–copper(II) complexes with organic ligands, part XXIII. Properties and structure characterization of cyanato–copper(II) complexes with aminopyridines. 155
Ibarlucca, L. Rhodium(I) complexes with bidentate nitrogen heterocycles and carbon monoxide (correction). 480
Ibarlucea, L. Rhodium(I) complexes with bidentate nitrogen heterocycles and their reactions with tin(II) chloride and carbon monoxide. 288
Ibrahim, K. M. Ligational behavior of biacetylmonoxime–o–aminobenzoylhydrazone (H_2BMAB) towards some dipositive metal ions. 175
Ibrahim, K. M. New uranyl(VI) complexes with ONS ligand derived from aromatic acid hydrazides and phenyl isothiocyanate. Part III. 328
Iordanov, N. Studies on intermolecular interactions of metal chelate complexes. Part X. Interactions of metal chelates with ozone. 15
Isab, A. A. Bis(N–propyl–1,3–imidazolidine–2–thione)gold(I) chloride: crystal and molecular structure. 178
Isaia, F. Copper(I) complexes with N–methylbenzothiazole–2–thione and –2–selone. 368
Islam, N. S. Reactions of vanadium(V) with alkali sulfate or thiocyanate. Evidence for the formation of oxodiperoxovanadate(V) complexes containing ionic sulfate. 333
Janardhan, R. Platinum(II) complexes of N–alkylphenothiazines. 106
Jaworska–Augustyniak, A. Solvent effects on the electron donor acceptor complex properties of ferrocene and tetranitromethane. 96
Jensen, H. P. Molecular structure of Schiff bases and their transition metal ion complexes, part XIX. [1,2–Propanebis(pyrrol–2–ylmethyleneaminato)]copper(II) and [1,2–propanebis(pyrrol–2–yl(1'–ethylidene)aminato)]copper(II). 307
Johnson, B. F. G. TMC literature highlights – 5. 278
Johnson, B. F. G. TMC highlights – 7. 439
Johnson, G. K. Isotopic oxygen exchange rates between vanadate ($[V_{18}O_{42}]^{12-}$) and water. 181
Kapoor, R. N. Chemistry of hafnium: complexes of hafnium(IV) with 2–amino–1–cyclopentene–

1–dithiocarboxylic acid and its N–alkyl derivatives. 73
Karadzhov, Yu. Studies on intermolecular interactions of metal chelate complexes. Part X. Interactions of metal chelates with ozone. 15
Kelm, H. Kinetic and spectroscopic studies of the substitution reactions of $[Rh(acac)(CO)_2]$ with triphenylphosphite. 167
Keshavan, B. Platinum(II) complexes of N–alkylphenothiazines. 106
Klayman, D. L. Transition metal ion complexes of a thiosemicarbazone derived from 6–methyl–2–acetylpyridine. 41
Klayman, D. L. Plasma desorption mass spectrometry of transition metal complexes of thio– and selenosemicarbazones of 2–acetylpyridines. 141
Klayman, D. L. Iron(III) complexes of some thiosemicarbazones derived from 2–acetylpyridine, its 6–methyl derivative and its N–oxide. 264
Kohout, J. Cyanato–copper(II) complexes with organic ligands, part XXIII. Properties and structure characterization of cyanato–copper(II) complexes with aminopyridines. 155
Kumar, M. Transition metal chemistry of oxime–containing ligands, part XXVIII; manganese(II) complexes of 2,6–diacetylpyridine dioxime. 255
Kwik, W. L. Mixed–ligand complex formation of (2,2',2"–terpyridine)copper(I) and (2,2',2"–terpyridine)copper(II) with some sulfur–containing amino acids. 50
Labarta, A. Synthesis, spectroscopic and magnetic characterization of some iron(III)–nucleotide compounds. 90
Labarta, A. Synthesis, spectroscopic and magnetic characterization of some iron(III)–nucleotide compounds (correction). 356
Lai, T. F. Crystal structures of the nickel(II) and copper(II) complexes of N,N'–bis(dehydroaceto)ethylenediimine. 375
Lammers, K. R. Proton NMR chemical shifts and hydrogen exchange rates of trans–$[Co(en)_2XY]^{n+}$ complexes in liquid ammonia. 164
Laranjeira, C. M. C. A study of the protonation and alkylation of tert–butyl isocyanide in trans–$[M(CNBu\text{–}tert)_2(Ph_2PCH_2CH_2PPh_2)_2]$ (M = Mo or W): formation of carbyne–type complexes and their trans– to cis–isomerization. 427
Lawrance, G. A. Kinetics of oxidation of manganese(II) by peroxomonosulfuric acid in aqueous acidic solution. 258
Lawrance, G. A. A ruthenium–bound diquaternary viologen analog: the [1,1'–(1,3–propanediyl)bis(4,4'–bipyridinium]pentaammineruthenium(II) cation. 354
Leal Gonzalez, M. S. The reaction of 2,3,6,7–tetrahydro–(2–hydroxyphenyl)–7–phenyl–1–H–1,4–diazepine with copper(II) and nickel(II) salts. 437
Leblanc, J. C. Chiral biscyclopentadienylniobium(III) complexes. 291
Liesegang, J. An x–ray photoelectron spectroscopic study of some nickel(II) tetraaza macrocyclic complexes. 100
Llopis Jover, E. Tungsten(VI) complexes formed in an excess of gluconic acid: a polarimetric and spectrophotometric study. 405
Lloyd, W. D. Structural features of biologically active coordination compounds of vanillin semicarbazone. 94
Lloyd, W. D. Synthesis and chemical characterization of biologically important complexes of vanillin thiosemicarbazone with manganese(II), iron(II), cobalt(II), nickel(II), copper(II), zinc(II), cadmium(II), and mercury(II). 299
Loonat, R. The mono– and bis(trichloroacetic acid) solvates of ferricinium trichloroacetate (correction). 480
Lopez–Alcala, J. M. Dinitrogen complexes of chromium(III) with chelating agents. 247
Luh, T. Synthesis and x–ray crystal structure of trans–diaquabis[(4–morpholino)acetato]copper(II). 417
McCleverty, J. A. TMC literature highlights – 3. 118
Mach, K. The catalytic system $[(Cp_2TiCl)_2]$:lithium aluminum hydride in aromatic solvents, part II. Formation of η^3–allyltitanocene derivatives in the presence of dienes – their structure and ESR spectra. 302
Macholdt, H. T. High pressure effects on ligand substitution reactions of molybdenum(0) carbonyl complexes. 323
Magno, F. Cathodic behavior of nickel(II) in acetonitrile in the presence of carbon monoxide and substituted phosphines. 8
Magon, L. Formamidines and triazenes as precursors for the preparation of rhenium imido–complexes. 151
Magon, L. Synthesis, reactivity and x–ray crystal structures of mixed thiazolato– or carboxylato–carbonyl(phosphine)rhenium(I) complexes. 413
Mahendra, K. N. Cationic carbonyl complexes of ruthenium(II) and osmium(II) containing 2,2'–bipyridyl and 1,10–phenanthroline. 236
Mak, T. C. W. Crystal structures of the nickel(II) and copper(II) complexes of N,N'–bis(dehydroaceto)ethylenediimine. 375
Mak, T. C. W. Synthesis and x–ray crystal structure of trans–diaquabis[(4–morpholino)acetato]copper(II). 417
Makeever, R. M. Transition metal ion complexes of a thiosemicarbazone derived from 6–methyl–2–acetylpyridine. 41
Marchi, A. Synthesis, reactivity and x–ray crystal structures of mixed thiazolato– or carboxylato–carbonyl(phosphine)rhenium(I) complexes. 413
Marchi, A. Formamidines and triazenes as precursors for the preparation of rhenium imido–complexes. 151
Marko, L. Lewis–base properties of the $HFe_3(CO)_9S^-$ and $Fe_3(CO)_9S^{2-}$ cluster anions. 21
Marko, L. Hydrogenation of Schiff bases with Group 6 metal carbonyls and sodium methoxide as catalyst precursors. 336
Marko, L. Synthesis of $[SCo_3(CO)_7(S_2COMe)]$ and the structure of its triphenylphosphine derivative. 344
Marques, E. V. Complexes of first row transition metals with meso–1,2–bis(propylsulfinyl)ethane. 241
Martinez Ripoll, M. Crystal structure and electronic properties of bis(mepirizole) copper(II) perchlorate. Correlation between the electronic spectrum and CuN_4 chromophore distortion from tetrahedral symmetry. 460
Martinez–Tamayo, E. Kinetic versus thermodynamic synthesis pathways of solid bimetallic coordination compounds – synthesis and crystal structure of some bimetallic compounds of glycine N,N'–1,2–cyclohexanediylbis[N–(carboxymethyl)]. 432
Masaguer, J. R. Reactions of 2–pyridylphenylacetonitrile and 1,2–dicyano–1,2–di(phenyl)–1,2–di(2–pyridyl)ethane with titanium(IV), vanadium(IV), chromium(III) and iron(III) chlorides. 243
Masaguer, J. R. Reactions of 2–pyridylphenylacetonitrile and 1,2–dicyano–1,2–diphenyl–1,2–di(2–pyridyl)ethane with cobalt(II), nickel(II), copper(II) and zinc(II) chlorides and copper(II) bromide. 387
Masaguer, J. R. Synthesis and characterization of copper(II) and nickel(II) complexes of the Schiff base derived from 2–(2–aminophenyl)benzimidazole and salicylaldehyde. 410
Masaguer, J. R. Complexes of titanium tetrachloride, vanadium tetrachloride and tin tetrachloride or tetrabromide with Schiff bases derived from 2–aminobenzimidazole. 424
Massacesi, M. Halocuprate(II) complexes with isoxazolium and imidazolium derivatives. 149
Massacesi, M. Copper(II) chloride and bromide complexes of 2–(2'–methyl–8'–quinolyl)benzoxazole and 2–(2'– or 4'–methyl–8'–quinolyl)benzimidazole. 249
Maurya, M. R. Ligand effects on metal–oxygen stretching frequencies in dioxomolybdenum(VI) complexes. 45
Mazzi, U. Monooxorhenium(V) complexes with the tridentate Schiff base N–(2–hydroxyphenyl)salicylideneimine. 121
Medici, A. Synthesis, reactivity and x–ray crystal structures of mixed thiazolato– or carboxylato–carbonyl(phosphine)rhenium(I) complexes. 413
Mehrotra, R. C. Synthesis and electronic, magnetic and ESR studies of some bimetallic alkoxides of copper(II) with niobium(V) and tantalum(V). 473
Mendiola, M. A. Reactions of 2–pyridylphenylacetonitrile and 1,2–dicyano–1,2–di(phenyl)–1,2–di(2–pyridyl)ethane with titanium(IV), vanadium(IV), chromium(III) and iron(III) chlorides. 243
Mendiola, M. A. Reactions of 2–pyridylphenylacetonitrile and 1,2–dicyano–1,2–diphenyl–1,2–di(2–pyridyl)ethane with cobalt(II), nickel(II), copper(II) and zinc(II) chlorides and copper(II) bromide. 387
Mesubi, M. A. Coordination chemistry of poly(1–pyrazolyl)alkanes, part IV. Copper(II) complexes of bis– and tris(1–pyrazolyl)methane. 5
Micera, G. Copper(II) chloride and bromide complexes of 2–(2'–methyl–8'–quinolyl)benzoxazole and 2–(2'– or 4'–methyl–8'–quinolyl)benzimidazole. 249
Mingos, D. M. P. Synthesis and structure characterization of $[(Ph_3P)AuCo(CO)_3(PPh_3)]$. 113
Mingos, D. M. P. Homonuclear cluster compounds of platinum. 441
Miravitlles Kinetic versus thermodynamic synthesis pathways of solid bimetallic coordination compounds – synthesis and crystal structure of some bimetallic compounds of glycine N,N'–1,2–cyclohexanediylbis[N–(carboxymethyl)]. 432
Misas, M. J. New cationic monocarbonyls of manganese(I) with nitriles and isonitriles. 19
Mittal, S. K. Particle diffusion kinetics of exchange for transition metal ions in crystalline tin(IV) antimonophosphate. 69
Mohan, M. Transition metal chemistry of oxime–containing ligands, part XXVIII; manganese(II) complexes of 2,6–diacetylpyridine dioxime. 255
Mohanty, P. Kinetics of base hydrolysis of O–bonded pentaammineglycinatocobalt(III) and pentaammine–β–alaninatocobalt(III) ions. 338
Moise, C. Chiral biscyclopentadienylniobium(III) complexes. 291
Mojapelo, B. S. Preparative and spectroscopic features of ferricenium tetrachloroferrate(III). Interconversion to diferricenium μ–oxo–bis[trichloroferrate(III)]. 135
Molins, E. Synthesis, spectroscopic and magnetic characterization of some iron(III)–nucleotide compounds. 90
Molins, E. Synthesis, spectroscopic and magnetic characterization of some iron(III)–nucleotide compounds (correction). 356
Molla, M. C. Crystal structure and electronic properties of bis(mepirizole) copper(II) perchlorate. Correlation between the electronic spectrum and CuN_4 chromophore distortion from tetrahedral symmetry. 460
Molleda, C. Reactions of 2–pyridylphenylacetonitrile and 1,2–dicyano–1,2–diphenyl–1,2–di(2–pyridyl)ethane with cobalt(II), nickel(II), copper(II) and zinc(II) chlorides and copper(II) bromide. 387
Monfort, M. Mono– and poly–nuclear nickel(II) complexes with nitrite and potentially bidentate amines as ligands. 340
Mookerjee, M. N. Schiff base complexes derived from trichlorooxovanadium(V). 66
Moreno, M. Iron(III) chloride solutions in isopropanol–water. 108
Moreno, M. Characterization of tetrachloroferrate(1–) and tetrabromoferrate(1–) in solution by means of EPR. 351
Moreno, V. Synthesis, spectroscopic and magnetic characterization of some iron(III)–nucleotide compounds. 90
Moreno, V. Synthesis, spectroscopic and magnetic characterization of some iron(III)–nucleotide compounds (correction). 356
Mostafa, M. M. Ligational behavior of biacetylmonoxime–o–aminobenzoylhydrazone (H_2BMAB) towards some dipositive metal ions. 175
Mostafa, M. M. New uranyl(VI) complexes with ONS ligand derived from aromatic acid hydrazides and phenyl isothiocyanate. Part III. 328
Mueller, U. Coordination compounds of disulfur dinitride. 361
Murman, R. K. Isotopic oxygen exchange rates between vanadate ($[V_{18}O_{42}]^{12-}$) and water. 181
Murthy, K. G. S. Cationic carbonyl complexes of ruthenium(II) and osmium(II) containing 2,2'–bipyridyl and 1,10–phenanthroline. 236
Musumeci, S. Copper(II)–EDTA–amino acid interactions. Stability constants and possible role in blood plasma models. 399
Nagy–Magos, Z. Hydrogenation of Schiff bases with Group 6 metal carbonyls and sodium methoxide as catalyst precursors. 336
Naik, R. M. Linear free energy relationships and kinetics of ligand substitutions: correlations of rate constants with overall stability constants of reactive intermediate species in the stepwise formation of pentacyanohydroxoferrate(III) from monohydroxoaminocarboxylato iron(III) complexes. 220
Naik, R. M. Kinetics and mechanism of pentacyanohydroxoferrate(III) formation from mono(aminocarboxylato)iron(III) complexes. 227
Nanda, R. K. Kinetics of base hydrolysis of O–bonded pentaammineglycinatocobalt(III) and pentaammine–β–alaninatocobalt(III) ions. 338
Nandi, B. Synthesis and mechanistic studies on the aquation of selenitoaquobis(diamine)cobalt(III) complexes. 171
Nardin, G. Structure and spectroscopic characterization of the quaternary system: copper(II), pyridine–2,6–dicarboxylate, 2,2'–bipyridyl and pyridine. 316
Nath, P. K. cis–Dioxo(N–salicylidene–2–aminophenolato)(imidazole)molybdenum(VI) complexes. 262
Neuse, E. W. The mono– and bis(trichloroacetic acid) solvates of ferricinium trichloroacetate (correction). 480
Neuse, E. W. Preparative and spectroscopic features of ferricenium tetrachloroferrate(III). Interconversion to diferricenium μ–oxo–bis[trichloroferrate(III)]. 135
Neuse, E. W. The crystal and molecular structure of acetonitrilechlorodicyclopentadienyltitanium tetrachloroferrate(III). Some Moessbauer and x–ray photoelectron spectroscopic data. 393
Niazi, M. A. B. Molybdenum complexes of biochemical interest. New coordination complexes of oxomolybdenum(V) with the tridentate ONO donor Schiff bases derived from salicylaldehydes and ethanolamine. 54
Nicolini, M. Monooxorhenium(V) complexes with the tridentate Schiff base N–(2–hydroxyphenyl)salicylideneimine. 121
Nigam, P. C. Linear free energy relationships and kinetics of ligand substitutions: correlations of rate constants with overall stability constants of reactive intermediate species in the stepwise formation of pentacyanohydroxoferrate(III) from monohydroxoaminocarboxylato iron(III) complexes. 220
Nigam, P. C. Kinetics and mechanism of pentacyanohydroxoferrate(III) formation from mono(aminocarboxylato)iron(III) complexes. 227
Nipp, C. A. 2–Amino–3–picoline N–oxide complexes formed from various copper(II) salts. 201
Nobre, A. T. Z. A study of the protonation and alkylation of tert–butyl isocyanide in trans–$[M(CNBu\text{–}tert)_2(Ph_2PCH_2CH_2PPh_2)_2]$ (M = Mo or W): formation of carbyne–type complexes and their trans– to cis–isomerization. 427
Nonoyama, K. Cobalt(III), copper(II), nickel(II) complexes of 1–thia–4,7–diazacyclononane–S–oxide. 382
Nonoyama, M. Cobalt(III), copper(II), nickel(II) complexes of 1–thia–4,7–diazacyclononane–S–oxide. 382
Olatunji, M. A. Stoichiometry and kinetics of the oxidation of hydroxylammonium ion by 12–tungstocobaltate(III) anion in aqueous solution. 218
Omelka, L. Cyanato–copper(II) complexes with organic ligands, part XXIII. Properties and structure characterization of cyanato–copper(II) complexes with aminopyridines. 155
Oro, L. A. New thiocarbonyl iridium and rhodium complexes with azolate type ligands. 28

Ostacoli, G. Mixed metal complexes in solution. Part 4. Formation and stability of heterobinuclear complexes of cadmium(II)–citrate with some bivalent metal ions in aqueous solution. 11

Palagyi, J. Hydrogenation of Schiff bases with Group 6 metal carbonyls and sodium methoxide as catalyst precursors. 336

Pallini, L. Nickel amination catalysts formed from heterogeneous phases and their homogeneous equivalent. 47

Pallini, L. Nickel–catalyzed synthesis of cyclooctatetraenes from substituted dipropargylamines. 350

Palta, N. Ethylene– and o–phenylenediamine–N,N'–bis(dimethylmethylenephosphonic) acids as complexing agents. 60

Panell, L. K. Plasma desorption mass spectrometry of transition metal complexes of thio– and selenosemicarbazones of 2–acetylpyridines. 141

Pannell, L. K. Iron(III) complexes of some thiosemicarbazones derived from 2–acetylpyridine, its 6–methyl derivative and its N–oxide. 264

Parkanyi, C. Synthesis and chemical characterization of biologically important complexes of vanillin thiosemicarbazone with manganese(II), iron(II), cobalt(II), nickel(II), copper(II), zinc(II), cadmium(II), and mercury(II). 299

Pelizzi, C. Synthesis and x–ray structures of dinitratobis[2–(2'–thienyl)–1–(2'–thienylmethyl)benzimidazole]copper(II) and dichlorobis[2–(2'–thienyl)benzimidazole]copper(II)–ethanol. 295

Pereda, J. A. Synthesis, spectroscopic and magnetic characterization of some iron(III)–nucleotide compounds. 90

Pereda, J. A. Synthesis, spectroscopic and magnetic characterization of some iron(III)–nucleotide compounds (correction). 356

Perotti, A. Copper(II) and nickel(II) complexes of mono–oxocyclam(5–oxo–1,4,8,11–tetraazacyclotetradecane). Synthetic and potentiometric studies. 396

Pombeiro, A. J. L. A study of the protonation and alkylation of tert–butyl isocyanide in trans–[M(CNBu–tert)$_2$(Ph$_2$PCH$_2$CH$_2$PPh$_2$)$_2$] (M = Mo or W): formation of carbyne–type complexes and their trans– to cis–isomerization. 427

Pombeiro, A. J. L. Reactions of the dinitrogen complex trans–bis[bis(diphenylphosphino)ethane]chloro(dinitrogen)rhenium with thiolate compounds and with carbon disulfide. 463

Ponticelli, G. Halocuprate(II) complexes with isoxazolium and imidazolium derivatives. 149

Preti, C. Transition metal complexes with 2–methyl–, 3–methyl–, and 4–methylpiperidinodithiocarboxylate as ligands. 284

Puerta, M. C. Dinitrogen complexes of chromium(III) with chelating agents. 247

Puggioni, G. Halocuprate(II) complexes with isoxazolium and imidazolium derivatives. 149

Pujari, M. P. Macrocyclic ligands with potential axial interactions. The preparation of copper(II), nickel(II) and cobalt(III) complexes of 7,14–bis(o–hydroxyphenyl)–5,12–dimethyl–1,4,8,11–tetraazacyclotetradeca–4,11–diene. 188

Pujari, M. P. Copper(II) and nickel(II) complexes of mono–oxocyclam(5–oxo–1,4,8,11–tetraazacyclotetradecane). Synthetic and potentiometric studies. 396

Puri, D. M. Ethylene– and o–phenylenediamine–N,N'–bis(dimethylmethylenephosphonic) acids as complexing agents. 60

Purrello, R. Structure and spectroscopic characterization of the quaternary system: copper(II), pyridine–2,6–dicarboxylate, 2,2'–bipyridyl and pyridine. 316

Ramirez Belenguer, J. A. Tungsten(VI) complexes formed in an excess of gluconic acid: a polarimetric and spectrophotometric study. 405

Ramstad, T. The platinum benzoic acid blues – a new class of blue platinum compounds. 153

Rana, V. B. Synthesis and characterization of cobalt(II), nickel(II), and copper(II) complexes of a tridentate N$_5$ macrocyclic ligand. 115

Rao, B. V. Ethylene– and o–phenylenediamine–N,N'–bis(dimethylmethylenephosphonic) acids as complexing agents. 60

Rathore, K. Chemistry of the phenylglyoxal–p–diethylaminoanil and/or thiourea substituted amine complexes. 24

Ratra, S. P. Synthesis and characterization of cobalt(II), nickel(II), and copper(II) complexes of a tridentate N$_5$ macrocyclic ligand. 115

Reddy, G. K. N. Cationic carbonyl complexes of ruthenium(II) and osmium(II) containing 2,2'–bipyridyl and 1,10–phenanthroline. 236

Reedijk, J. A tetrahedral copper(I) compound of pyrazole–substituted ethylenediamine. The crystal structure of [(N,N,N',N'–tetrakis(pyrazol–1'–ylmethyl)(1,2–diaminoethane)copper(I)](tetrafluoroborate)(acetonitrile). 390

Refosco, F. Monooxorhenium(V) complexes with the tridentate Schiff base N–(2–hydroxyphenyl)salicylideneimine. 121

Reyes, J. New thiocarbonyl iridium and rhodium complexes with azolate type ligands. 28

Reynoud, J. F. Chiral biscyclopentadienylniobium(III) complexes. 291

Ribas, J. Mixed fluoroamine complexes of chromium(III). 128

Ribas, J. Mono– and poly–nuclear nickel(II) complexes with nitrite and potentially bidentate amines as ligands. 340

Ribas, J. Dinuclear complexes with a μ–cyano ligand. Part XI. Synthesis and characterization of several derivatives of cis–[ammineaquabis(ethylenediamine)cobalt(3+). 466

Richards, R. L. The preparation and molecular structure of trans–[MoCl$_2$(PMe$_2$Ph)$_4$]. 29

Richards, R. L. A study of the protonation and alkylation of tert–butyl isocyanide in trans–[M(CNBu–tert)$_2$(Ph$_2$PCH$_2$CH$_2$PPh$_2$)$_2$] (M = Mo or W): formation of carbyne–type complexes and their trans– to cis–isomerization. 427

Richards, R. L. Reactions of the dinitrogen complex trans–bis[bis(diphenylphosphino)ethane]chloro(dinitrogen)rhenium with thiolate compounds and with carbon disulfide. 463

Riera, V. New cationic monocarbonyls of manganese(I) with nitriles and isonitriles. 19

Rigano, C. Computer analysis of equilibrium data in solution. A method for computing the formation constants of two mass balance systems, from potentiometric measurements, applied to the hydrolysis of copper(II). Program ES3TM. (appendix). 1

Rizzarelli, E. Mixed metal complexes in solution. Part 4. Formation and stability of heterobinuclear complexes of cadmium(II)–citrate with some bivalent metal ions in aqueous solution. 11

Rizzarelli, E. Copper(II)–EDTA–amino acid interactions. Stability constants and possible role in blood plasma models. 399

Rodriguez, F. Iron(III) chloride solutions in isopropanol–water. 108

Rodriguez, F. Characterization of tetrachloroferrate(1–) and tetrabromoferrate(1–) in solution by means of EPR. 351

Roe, S. P. An x–ray photoelectron spectroscopic study of some nickel(II) tetraaza macrocyclic complexes. 100

Rossi,R. Synthesis, reactivity and x–ray crystal structures of mixed thiazolato– or carboxylato–carbonyl(phosphine)rhenium(I) complexes. 413

Rossi, R. Formamidines and triazenes as precursors for the preparation of rhenium imido–complexes. 151

Rossi, R. Synthesis, reactivity and x–ray crystal structures of mixed thiazolato– or carboxylato–carbonyl(phosphine)rhenium(I) complexes. 413

Saha, S. K. Kinetics and mechanism of thiocyanate anation of cis–β–diaqua(3,6–diazaoctane–1,8–diamine)cobalt(III) in aqueous medium. 252

Salagre, P. Substitution reactions of metal–metal quadruply–bonded tetrachlorotetrakis(phosphine)dimolybdenum compounds. 191

Sammartano, S. Computer analysis of equilibrium data in solution. A method for computing the formation constants of two mass balance systems, from potentiometric measurements, applied to the hydrolysis of copper(II). Program ES3TM. (appendix). 1

Sammartano, S. Mixed metal complexes in solution. Part 4. Formation and stability of heterobinuclear complexes of cadmium(II)–citrate with some bivalent metal ions in aqueous solution. 11

Sammartano, S. Copper(II)–EDTA–amino acid interactions. Stability constants and possible role in blood plasma models. 399

Samotus, A. Oxopentacyano–complexes of molybdenum(IV) and tungsten(IV) in photolysis of octacyanometalates(IV). 271

Sancho, A. Cobalt(II), nickel(II) and copper(II) complexes with N–cyano–N'–methyl–N"(2–[(5–methyl–1H–imidazol–4–yl)methylthio]ethyl)guanidine. 214

Schenkel, A. Transition metal silyl complexes. part III. Reaction of tris(trimethylsilyl)silyllithium with cyclopentadienyliron bromides. 210

Schiavon, G. Cathodic behavior of nickel(II) in acetonitrile in the presence of carbon monoxide and substituted phosphines. 8

Schubert, U. Transition metal silyl complexes. part III. Reaction of tris(trimethylsilyl)silyllithium with cyclopentadienyliron bromides. 210

Scovill, J. P. Transition metal ion complexes of a thiosemicarbazone derived from 6–methyl–2–acetylpyridine. 41

Scovill, J. P. Plasma desorption mass spectrometry of transition metal complexes of thio– and selenosemicarbazones of 2–acetylpyridines. 141

Scovill, J. P. Iron(III) complexes of some thiosemicarbazones derived from 2–acetylpyridine, its 6–methyl derivative and its N–oxide. 264

Seddon, A. B. Solubility and aggregation studies of copper(II) dodecanoate in organic solvents. 212

Seddon, K. R. Bis(2,2'–bipyridine)(4,4'–diuntriacontanyl–2,2'–bipyridine)ruthenium(II) chloride: a hydrophobic complex with a very long tail. 117

Segui, A. Mixed fluoroamine complexes of chromium(III). 128

Shakya, R. P. Metal complexes of two potentially bidentate silicon–backbone phosphine ligands. 435

Shallaby, A. E. H. M. New uranyl(VI) complexes with ONS ligand derived from aromatic acid hydrazides and phenyl isothiocyanate. Part III. 328

Sindellari, L. Platinum(II) halide complexes with propan–1–amine. 76

Singh, A. Synthesis and electronic, magnetic and ESR studies of some bimetallic alkoxides of copper(II) with niobium(V) and tantalum(V). 473

Singh, B. Chemistry of hafnium: complexes of hafnium(IV) with 2–amino–1–cyclopentene–1–dithiocarboxylic acid and its N–alkyl derivatives. 73

Singh, D. P. Synthesis and characterization of cobalt(II), nickel(II), and copper(II) complexes of a tridentate N$_5$ macrocyclic ligand. 115

Singh, R. V. Schiff base complexes derived from trichlorooxovanadium(V). 66

Sitran, S. Platinum(II) halide complexes with propan–1–amine. 76

Skalna, E. Effect of acid–base equilibria of reactants and the effect of water–organic mixtures on the kinetics of oxidation of cysteinsulfenatobis(ethylenediamine)cobalt(III) ion by periodate 401

Skapski, A. C. X–ray structure of the peroxovanadate [HV$_2$O$_{11}$]$^{3-}$ ion in the ammonium peroxovanadate salt (NH$_4$)$_3$[HO[VO(O$_2$)$_2$]$_2$].H$_2$O. 353

Sobczak, J. The synthesis of [Mo$_2$O$_4$(acac)$_2$(H$_2$O)$_2$].H$_2$O. A reply to M. C. Chakravorti and D. Bandyopadhyay. 319

Sola, J. Transition metal complexes of γ–mercaptoalkylpiperidines. 233

Solans, A. Mixed fluoroamine complexes of chromium(III). 128

Solans, X. Mono– and poly–nuclear nickel(II) complexes with nitrite and potentially bidentate amines as ligands. 340

Soto, L. Cobalt(II), nickel(II) and copper(II) complexes with N–cyano–N'–methyl–N"(2–[(5–methyl–1H–imidazol–4–yl)methylthio]ethyl)guanidine. 214

Souza, P. Synthesis and characterization of copper(II) and nickel(II) complexes of the Schiff base derived from 2–(2–aminophenyl)benzimidazole and salicylaldehyde. 410

Souza, P. Complexes of titanium tetrachloride, vanadium tetrachloride and tin tetrachloride or tetrabromide with Schiff bases derived from 2–aminobenzimidazole. 424

Sowinska, M. Physicochemical studies on solid products of reactions of chromyl chloride and chromyl acetate with alkylaromatics. Part I. Infrared spectra and magnetic measurements. 63

Stanghellini, P. L. Synthesis of [SCo$_3$(CO)$_7$(S$_2$COMe)] and the structure of its triphenylphosphine derivative. 344

Sueiras, J. E. Substitution reactions of metal–metal quadruply–bonded tetrachlorotetrakis(phosphine)dimolybdenum compounds. 191

Summers, L. A. A ruthenium–bound diquaternary viologen analog: the [1,1'–(1,3–propanediyl)bis(4,4'–bipyridinium]pentaammineruthenium(II) cation. 354

Syamal, A. Ligand effects on metal–oxygen stretching frequencies in dioxomolybdenum(VI) complexes. 45

Syamal, A. Molybdenum complexes of biochemical interest. New coordination complexes of oxomolybdenum(V) with the tridentate ONO donor Schiff bases derived from salicylaldehydes and ethanolamine. 54

Takacs, J. Lewis–base properties of the HFe$_3$(CO)$_9$S$^-$ and Fe$_3$(CO)$_9$S^{2-} cluster anions. 21

Tan, S. F. Crystal structures of the nickel(II) and copper(II) complexes of N,N'–bis(dehydroaceto)ethylenediimine. 375

Tandon, J. P. Schiff base complexes derived from trichlorooxovanadium(V). 66

Tarasconi, P. Synthesis and x–ray structures of dinitratobis[2–(2'–thienyl)–1–(2'–thienylmethyl)benzimidazole]copper(II) and dichlorobis[2–(2'–thienyl)benzimidazole]copper(II)–ethanol. 295

Tate, R. L. Plasma desorption mass spectrometry of transition metal complexes of thio– and selenosemicarbazones of 2–acetylpyridines. 141

Tejada, J. Synthesis, spectroscopic and magnetic characterization of some iron(III)–nucleotide compounds. 90

Tejeda, J. Synthesis, spectroscopic and magnetic characterization of some iron(III)–nucleotide compounds (correction). 356

Teotia, M. P. Synthesis and characterization of cobalt(II), nickel(II), and copper(II) complexes of a tridentate N$_5$ macrocyclic ligand. 115

Terenghi, M. G. Nickel amination catalysts formed from heterogeneous phases and their homogeneous equivalent. 47

Terenghi, M. G. Nickel–catalyzed synthesis of cyclooctatetraenes from substituted dipropargylamines. 350

Ter Haar, L. W. Exchange coupling in di–μ–hydroxo–bis[bis[(S)alaninato]chromium(III)]trihydrate. 161

Terron, A. Synthesis, spectroscopic and magnetic characterization of some iron(III)–nucleotide compounds. 90

Terron, A. Synthesis, spectroscopic and magnetic characterization of some iron(III)–nucleotide compounds (correction). 356

Thewalt, U. The crystal and molecular structure of acetonitrilechlorodicyclopentadienyltitanium tetrachloroferrate(III). Some Moessbauer and x–ray photoelectron spectroscopic data. 393

Thimmaiah, K. N. Structural features of biologically active coordination compounds of vanillin semicarbazone. 94

Thimmaiah, K. N. Synthesis and chemical characterization of biologically important complexes of vanillin thiosemicarbazone with manganese(II), iron(II), cobalt(II), nickel(II), copper(II), zinc(II), cadmium(II), and mercury(II). 299

Thind, P. S. Particle diffusion kinetics of exchange for transition metal ions in crystalline tin(IV) antimonophosphate. 69

Tosi, G. Transition metal complexes with 2–methyl–, 3–methyl–, and 4–methylpiperidinodithiocarboxylate as ligands. 284

Tripathy, P. C. Kinetics of base hydrolysis of O–bonded pentaammineglycinatocobalt(III) and pentaammine–β–alaninatocobalt(III) ions. 338
Trzeciak, A. M. Kinetic and spectroscopic studies of the substitution reactions of $[Rh(acac)(CO)_2]$ with triphenylphosphite. 167
Trzeciak, A. M. Reactions of the ortho–metalated rhodium(I) complex of the formula $Rh[P(OPh)(OPh)_2][P(OPh)_3]_3$ with HX molecules. 385
Twigg, M. V. TMC literature highlights – 5. 278
Twigg, M. V. TMC highlights – 7. 439
Tyagi, S. B. Chemistry of hafnium: complexes of hafnium(IV) with 2–amino–1–cyclopentene–1–dithiocarboxylic acid and its N–alkyl derivatives. 73
Upadhyay, R. K. Chemistry of the phenylglyoxal–p–diethylaminoanil and/or thiourea substituted ammine complexes. 24
Upadhyay, S. K. Kinetics and mechanism of the ruthenium(III)–catalyzed oxidation of aminoalcohols by alkaline hexacyanoferrate(III). 281
Upadhyay, S. K. Kinetics and mechanism of the ruthenium(III)–catalyzed oxidation of aminoalcohols by cerium(IV) in a sulfuric acid medium. 379
Van Eldik, R. Kinetic and spectroscopic studies of the substitution reactions of $[Rh(acac)(CO)_2]$ with triphenylphosphite. 167
Van Eldik, R. High pressure effects on ligand substitution reactions of molybdenum(0) carbonyl complexes. 323
Verani, G. Copper(I) complexes with N–methylbenzothiazole–2–thione and –2–selone. 368
Verschoor, G. C. A tetrahedral copper(I) compound of pyrazole–substituted ethylenediamine. The crystal structure of [(N,N,N',N'–tetrakis(pyrazol–1'–ylmethyl)(1,2–diaminoethane)copper(I)](tetrafluoroborate)(acetonitrile). 390
Vicens, M. Synthesis, spectroscopic and magnetic characterization of some iron(III)–nucleotide compounds. 90
Vicens, M. Synthesis, spectroscopic and magnetic characterization of some iron(III)–nucleotide compounds (correction). 356
Viegas, A. C. A. M. A study of the protonation and alkylation of tert–butyl isocyanide in trans–$[M(CNBu\text{–}tert)_2(Ph_2PCH_2CH_2PPh_2)_2]$ (M = Mo or W): formation of carbyne–type complexes and their trans– to cis–isomerization. 427
Vilana, J. Mono– and poly–nuclear nickel(II) complexes with nitrite and potentially bidentate amines as ligands. 340
Vinas, J. M. Transition metal complexes of γ–mercaptoalkylpiperidines. 233
Vollarova, O. Kinetics of oxidation of pentaammineisothiocyanatocobalt(III) ion with peroxodisulfate and periodate in water and water–organic mixtures. 84
Vollarova, O. Effect of acid–base equilibria of reactants and the effect of water–organic mixtures on the kinetics of oxidation of cysteinsulfenatobis(ethylenediamine)cobalt(III) ion by periodate. 401
Vougioukas, A. E. Metal complexes of two potentially bidentate silicon–backbone phosphine ligands. 435
Wang, B. S. L. Synthesis and x–ray crystal structure of trans–diaquabis[(4–morpholino)acetato]copper(II). 417
Ward, C. B. Kinetics of oxidation of manganese(II) by peroxomonosulfuric acid in aqueous acidic solution. 258
Wardle, R. W. M. Synthesis and structure characterization of $[(Ph_3P)AuCo(CO)_3(PPh_3)]$. 113
Wardle, R. W. M. Homonuclear cluster compounds of platinum. 441
Wells, C. F. Kinetics of the solvolysis of the cis–chloroazidobis(1,2–diaminoethane)cobalt(III) ion in water + tert–butanol mixtures. 223
West, D. X. Transition metal ion complexes of a thiosemicarbazone derived from 6–methyl–2–acetylpyridine. 41
West, D. X. Copper(II) complexes of 2–(pyrrolidinomethyl)– and 2–(3–pyrrolinomethyl)pyridine N–oxides. 131
West, D. X. Plasma desorption mass spectrometry of transition metal complexes of thio– and selenosemicarbazones of 2–acetylpyridines. 141
West, D. X. 2–Amino–3–picoline N–oxide complexes formed from various copper(II) salts. 201
West, D. X. Iron(III) complexes of some thiosemicarbazones derived from 2–acetylpyridine, its 6–methyl derivative and its N–oxide. 264
Wimmer, F. L. Substitution of $[M(bpyMe)Cl_3]$ and $[M(bpyMe\text{–}H)Cl_2]$ (M = Pd or Pt; bpyMe = N–methyl–2,2'–bipyridylium ion) with N–heterocycles. 238
Wimmer, S. Substitution of $[M(bpyMe)Cl_3]$ and $[M(bpyMe\text{–}H)Cl_2]$ (M = Pd or Pt; bpyMe = N–methyl–2,2'–bipyridylium ion) with N–heterocycles. 238
Wojtczak, J. Solvent effects on the electron donor acceptor complex properties of ferrocene and tetranitromethane. 96
Wood, J. A. Solubility and aggregation studies of copper(II) dodecanoate in organic solvents. 212
Woollins, J. D. The platinum benzoic acid blues – a new class of blue platinum compounds. 153
Yousif, Y. Z. Bis(2,2'–bipyridine)(4,4'–diuntriacontanyl–2,2'–bipyridine)ruthenium(II) chloride: a hydrophobic complex with a very long tail. 117
Zanello, P. Electrochemical behavior of a series of N,N'–1,2–phenylenebis(salicylideneiminato) transition metal complexes. 370
Zannini, P. Transition metal complexes with 2–methyl–, 3–methyl–, and 4–methylpiperidinodithiocarboxylate as ligands. 284
Ziolkowski, J. J. Kinetic and spectroscopic studies of the substitution reactions of $[Rh(acac)(CO)_2]$ with triphenylphosphite. 167
Ziolkowski, J. J. The synthesis of $[Mo_2O_4(acac)_2(H_2O)_2].H_2O$. A reply to M. C. Chakravorti and D. Bandyopadhyay. 319
Ziolkowski, J. J. Reactions of the ortho–metalated rhodium(I) complex of the formula $Rh[P(OPh)(OPh)_2][P(OPh)_3]_3$ with HX molecules. 385
Zubieta, J. Studies of molybdenum thiolato–complexes. The chemical characterization and the crystal and molecular structures of two sulfido–bridged molybdenum(V) dimers, $[PhCH_2PPh_3]_2[Mo_2O_2S_2(SC_2H_4S)_2]$ and $[HNEt_3]_2[Mo_2S_4(SC_2H_4S)_2]$. 81



Digitized by the Internet Archive
in 2023 with funding from
Kahle/Austin Foundation

https://archive.org/details/transition-metal-chemistry_1985_10_index

Keyword Index

The annual author and keyword indexes were prepared by the Chemical Abstracts Service. Accordingly, abbreviations occurring in the index entries are those regularly used in Chemical Abstracts.

Acetato
diphenyl rhenium carbonyl phosphine 413
Acetonitrile
cathodic redn nickel perchlorate 8
Acetonitrilechlorotitanocene
chloroferrate crystal mol structure 393
Acetylacetonate
carbonyl rhodium substitution phosphite 167
Acetylacetonato
copper 5
molybdenum oxo prepn polemic 319
rhodium phosphite complex 385
Acetylacetone
ethylenediamine Schiff base 310
ethylenediamine Schiff copper nickel 185
Acetylcysteine
copper terpyridine 50
Acetylpenicillamine
copper terpyridine 50
Acetylpyridine
thiosemicarbazone iron 264
Acetylpyrrole
propylenediamine Schiff copper 307
Alaninato
ammine cobalt hydrolysis kinetics 338
molybdenum binuclear 191
Alc
nonaq oxidn perruthenate 98
Alcoholysis
copper niobate tantalate isopropoxide 473
Alkylbenzene
chromium 63
Alkyne
metathesis tungsten complex review 196
Alkynyl
gold silver complex NMR 207
Allyltitanocene
302
Amination
catalyst nickel heterogeneous phase 47
Amine
Schiff molybdenum oxo 45
Amino
acid copper EDTA complex 399
acid copper terpyridine 50
Aminoakylphenothiazine
platinum chloro 106
Aminoalc
kinetics ruthenium catalyzed oxidn. 281
oxidn cerium ruthenium catalyst 379
Aminoazaheptenoato
copper nickel pyridine 185
Aminobenzoylhydrazine
biacetylmonoxime transition metal 175
Aminocarboxylate
DTPA iron kinetics substitution 227
Aminocarboxylato
molybdenum binuclear 191
Aminocarbyne
molybdenum tungsten prepn isomerization 427
Aminocyclopentenedithiocarboxylato
hafnium 73
Aminoethanol
ruthenium catalyzed oxidn kinetics 281
Aminoethylpyridine
molybdenum Schiff 45
Aminoethylsulfoxide
nickel 382
Aminophenylbenzimidazole
salicylaldehyde Schiff copper nickel 410
Aminopicoline
oxide copper complex 201
Aminopropanol
ruthenium catalyze oxidn kinetics 281
Aminopyridine
copper cyanato 155
molybdenum binuclear 191
Aminothiazolato
rhenium 413
Ammine
ethylenediamine cobalt 466
glycinato alaninato cobalt hydrolysis kinetics 338
isothiocyanate cobalt kinetics oxidn 84
platinum chloro chem review 196
transition metal thiourea Schiff 24
Ammonia
liq hydrogen exchange cobalt ethylenediamine 164
Anation
kinetics cobalt 3 azaoctanediamine 252
Antimonophosphate
exchange kinetics divalent cation 69
Antitumor
activity platinum phthalate blue 153
Apalladium
mercaptophenylquinazolinone heterocyclic base 469
Aquation
catalyst lead chromium oxalate 147
kinetics cobalt 3 selenito 171
Arsine
osmium ruthenium bipyridine phenanthroline 236
ATP
iron complex 90
Azabicyclononanethiocarboxylic
acid methylpyridylethylidenehydrazide complex 41
Azacyclotetradecane
macrocycle copper nickel 396
Azolato
iridium rhodium thiocarbonyl 28
Benzimidazole
quinolyl copper halo 249
Benzoate
platinum blue 153
Benzothiazoleselone
copper 368
Benzothiazolethione
copper 368
Benzoxazole
quinolyl copper halo 249
Benzoyl
thiosemicarbazido uranyl 328
Benzoylhydrazone
hydroxyiminobutanone copper nickel 57
Benzylideneaniline
hydrogenation 336
Biacetylmonoxime
aminobenzoylhydrazine transition metal 175
Biacetylphenylamine
substitution molybdenum carbonyl pyridine 323
Binding
energy tetraaza macrocycle nickel 100
Binuclear
cadmium nickel citrate complex 11
Bipyridine
copper pyridine pyridinedicarboxylato 316
molybdenum Schiff 45
osmium ruthenium carbonyl 236
palladium quinazolinone 469
ruthenium untriacontanylbipyridne 117
substitution molybdenum carbonyl pyridine 323
Bipyridylmetal
complex substitution heterocycle 238
Blue
platinum benzoate phthalate 153
Bond
metal metal chiral complex 291
Bonding
platinum homonuclear cluster review 441
Butanedione
dipicolinylhydrazone macrocycle transition metal 115
Butanol
aq solvolysis cobalt complex 223
kinetics oxidn cobalt complex periodate 401
Cadmium
diaminebismethylenephosphonato 60
mercaptoalkylpiperidine 233
nickel binuclear citrate complex 11
Carbene
complex review 196
Carbon
disulfide reaction rhenium dinitrogen 463
monoxide electroredn nickel 8
Carbonyl
acetylacetonate rhodium substitution phosphite 167
bipyridine phenanthroline osmium ruthenium 236
cobalt gold triphenylphosphine 113
cobalt sulfido xanthato 344
iron sulfido heteronuclear cluster 21
manganese diphosphine isonitrile nitrile 19
pyridine kinetics molybdenum mechanism 323
thiazine molybdenum reactivity solvatochromism 274
Carbonylphosphinenickel
complex voltammetry 8
Carboxylato
rhenium 413
Catalyst
hydrogenation rhodium acetylacetonate phosphite 167
ruthenium aminoalc oxidn cerium 379
transition metal review 278
Catalytic
system titanium 302
Catalyzed
ruthenium oxidn. kinetics aminoalc 281
Cation
exchange kinetics divalent antimonophosphate 69
CD
copper propanebispyrrolylmethyleneaminato 307
CDTA
chromium dinitrogen 247
Cerium
oxidn aminoalc ruthenium catalyst 379
Chelate
iron nitrogen heterocycle hydrolysis 419
metal reaction ozone kinetics 15
Chiral
niobium metal complex 291
Chloro
ethylenediamine metal racemization mechanism 331
Chloroferrate
acetonitrilechlorotitanocene crystal mol structure 393
Chromium
alkylbenzene 63
carbonyl sulfido heteronuclear cluster 21
CDTA EDTA dinitrogen 247
chloro ethylenediamine racemization mechanism 331
chloro pyridylacetonitrile dicyanodipyridylethane 243
fluoro diamine mixed 128
hydroxoalaninato hydrate susceptibility 161
oxalate lead aquation catalyst 147
phenylglyoxaldimethylaminoanil thiourea 24
Chromyl
acetate chloride reaction alkylbenzene 63
Cimetidine
transition metal 214
Citrate
mixed transition metal complex 11
Cluster
complex review 118
iron carbonyl sulfido heteronuclear 21
metal review 439
platinum homonuclear review 441
CMP
iron complex 90
Cobalt
acetylpyridinethiosemicarbazonato selenosemicarbazonato mass spectrum 141
ammine ethylenediamine 466
ammine glycinato alaninato hydrolysis kinetics 338
ammine isothiocyanate kinetics oxidn 84
azido ethylenediamine complex solvolysis 223
chloro ethylenediamine racemization kinetics 331
cimetidine 214
cysteinsulfenato ethylenediamine oxidn periodate 401
diaminebismethylenephosphonato 60
dimethylglyoximato imidazole complex 422
ethylenediamine hydrogen exchange ammonia liq 164
gold carbonyl triphenylphosphine structure 113
hydroxyphenyltetrazacyclotetradecadiene 188
macrocycle dipicolinylhydrazone butanedione 115
niobium complex chiral 291
phenylenebissalicylideneiminato electrochem 370
phenylglyoxaldimethylaminoanil thiourea 24
sulfido carbonyl xanthato triphenylphosphine 344
thiadiazacyclononane oxide 382
thiosemicarbazone 41
transition metal cyclohexanediaminetetraacetato 432
3 azaoctanediamine anation kinetics 252
3 selenito aquation kinetics 171
Cobaltate
tungsto hydroxylammonium oxidn kinetics 218
Complex
copper EDTA amino acid 399
heterocycle electronic structure nucleophilicity 419
Complexation
equil potentiometry computer program 1
kinetics nickel Schiff base 310
uranium salicylate deriv kinetics mechanism 325
Computer
program potentiometry complexation equil 1
Conformation
copper propanebispyrrolylmethyleneaminato 307
tetraaza macrocycle XPS 100
Coordination
chem review 118
number tetraaza macrocycle nickel 100
Copper
aminoazaheptenoato pyridine 185
aminopicoline oxide complex 201
benzothiazolethione benzothiazoleselone 368
bipyridine pyridine pyridinedicarboxylato 316
cimetidine 214
complexation kinetics Schiff base 310
cyanato aminopyridine 155
cyanopyridylethane 387
dehydroacetoethylenediimine structure 375
diaminebismethylenephosphonato 60
dodecanoate micelle org solvent 212
EDTA amino acid complex 399
fluoroacetylacetonato reaction diazepine deriv

437
halo isoxazolium imidazolium 149
halo quinolylbenzoxazole quinolylbenzimidazole 249
hydroxyiminobutanone benzoylhydrazone 57
hydroxyphenyltetrazacyclotetradecadiene 188
macrocycle dipicolinylhydrazone butanedione 115
mepirizole crystal structure 460
mercaptoalkylpiperidine 233
morpholinoacetato crystal structure 417
niobate tantalate isopropoxide 473
oxotetraazacyclotetradecane 396
phenylenebissalicylideneiminato electrochem 370
phenylglyoxaldimethylaminoanil thiourea 24
pyrazolylborato pyrazolylmethanide 5
pyrazolylmethyldiaminoethane crystal structure 390
pyrrolidinomethylpyridine pyrrolinomethylpyridine oxide 131
Schiff aminophenylbenzimidazole salicylaldehyde 410
Schiff propylenediamine pyrrolealdehyde acetylpyrrole 307
terpyridine amino acid 50
thiadiazacyclononane oxide 382
thienylbenzimidazole acido crystal structure 295
thiosemicarbazone 41
transition metal cyclohexanediaminetetraacetato 432
Correction
iron nucleotide complex 356
rhodium nitrogen heterocycle complex 480
trichloroacetate solvate ferrocene 480
Crystal
structure acetonitrilechlorotitanocene chlororate 393
structure cobalt gold carbonyl 113
structure copper mepirizole 460
structure copper morpholinoacetato 417
structure copper nickel dehydroacetoethylenediimine 375
structure copper pyrazolylmethyldiaminoethane 390
structure copper thienylbenzimidazole acido 295
structure gold imidazolidinethione 178
structure iron selenosemicarbazone 264
structure nickel diaminopropane nitro 340
structure rhenium carboxylato aminothiazolato 413
Cuprate
halo isoxazolium imidazolium 149
Cyanato
copper aminopyridine 155
Cyanide
iron EDTA substitution kinetics 220
Cyano
iron phenanthroline hydrate thermolysis 348
oxo molybdate tungstate 271
Cyanohydroxy
HEDTA iron complex substitution 227
Cyanopyridylethane
copper zinc 387
Cyclodimerization
propargylamine nickel catalyst 350
Cyclohexanediaminetetraacetato
transition metal dinuclear 432
Cyclooctatetraene
dipyrrolo 350
Cyclopentadienyliron
bromide reaction silyllithium 210
Cysteine
copper terpyridine 50
Cysteinsulfenato
ethylenediamine cobalt oxidn periodate 401
Cyuano
cobalt transition metal ammine 466
Deaquation
thiocyanate cobalt azaoctanediamine 252
Dehydroacetoethylenediimine
copper nickel structure 375
Diacetylpyridine
dioxime manganese 255
Diamine
cobalt selenite complex aquation 171
mixed chromium fluoro 128
nickel nitro 340
Diazepine
deriv reaction metal acetate deriv 437
Dicyanodipyridylethane
transition metal 243
Diene
titanium aluminum reaction 302
Diffusion
metal cation exchange antimonophosphate 69
Dimethylglyoximato
cobalt imidazole complex 422
Dimethylphenylphosphine
molybdenum chloro 29
Dimethylpropanediamine
nickel thiocyanato conformer 476
Dinitrogen
chromium CDTA EDTA 247
rhenium phosphinoethane reaction thiolato 463
Diolefin
rhodium nitrogen heterocycle complex 288
Dioxime
diacetylpyridine manganese 255
Diphosphine
manganese carbonyl isonitrile nitrile 19
Dipicolinylhydrazone
butanedione macrocycle transition metal 115
Distortion
copper complex electronic transition 460
Disulfur
dinitride coordination compd review 361
Divalent
cation exchange kinetics antimonophosphate 69
Dodecanoate
copper micelle org solvent 212
DTPA
aminocarboxylate iron kinetics substitution 227
substitution kinetics iron cyanide 220
EDTA
chromium dinitrogen 247
copper amino acid complex 399
iron substitution kinetics cyanide 220
Electrochem
redn nickel perchlorate 8
ruthenium ammine propanediylbisbipyridinium 354
Electronic
structure heterocycle complex nucleophilicity 419
transition copper complex distortion 460
EPR
characterization iron halide complex 351
Equil
complexation potentiometry computer program 1
ESR
allyltitanocene 302
Ethanedithiolato
molybdate binuclear sulfido 81
Ethanolamine
Schiff base molybdenum oxo 54
Ether
diethyl molybdenum tungsten chloro 194
Ethylenebissalicylideneiminato
transition metal redox potential 370
Ethylenediamine
acetylacetone Schiff base 310
acetylacetone Schiff copper nickel 185
ammine cobalt 466
chloro metal racemization mechanism 331
cobalt hydrogen exchange ammonia liq 164
cysteinsulfenato cobalt oxidn periodate 401
molybdenum Schiff 45
Ethylenediaminebismethylenephosphonato
metal complex 60
Exchange
hydrogen cobalt ethylenediamine ammonia liq 164
hydroxoalaninato chromium hydrate 161
kinetics divalent cation antimonophosphate 69
kinetics oxygen water vanadate 181
Ferrate
chloro ferricenium 135
hexacyano oxidn aminoalc kinetics 281
Ferric
chloride oxidn pyridylacetonitrile 243
Ferricenium
ferrate chloro 135
Ferrocene
tetranitromethane complex solvent effect 96
trichloroacetate solvate correction 480
Fluoro
chromium diamine mixed 128
Formamidine
reaction rhenium oxo complex 151
Formation
const copper complex 399
Fungicide
transition metal vanillin thiosemicarbazone 299
vanillin semicarbazone complex 94
Gluconate
tungsten complex formation 405
Glycinato
cobalt ammine hydrolysis kinetics 338
molybdenum binuclear 191
Gold
alkynyl complex NMR 207
cobalt carbonyl triphenylphosphine 113
imidazolidinethione crystal structure 178
rhodium azolato thiocarbonyl 28
Group
IIB methylpiperidinodithiocarboxylato 284
IIB vanillin semicarbazone 94
IIB vanillin thiosemicarbazone 299
Hafnium
aminocyclopentenedithiocarboxylato 73
Halide
iron complex characterization EPR 351
rhodium phosphite complex 385
HEDTA
iron cyanohydroxy complex substitution 227
substitution kinetics iron cyanide 220
Heterocycle
complex electronic structure nucleophilicity 419
nitrogen rhodium complex 288
nitrogen rhodium complex correction 480
substitution bipyridylmetal complex 238
Hexanamine
platinum 76
Hydrazoneoxime
transition metal 175
Hydrido
iron carbonyl cluster 21
osmium ruthenium arsine substitution 236
Hydroformylation
catalyst rhodium acetylacetonate phosphite 167
Hydrogen
bond tetraaza macrocycle nickel 100
exchange cobalt ethylenediamine ammonia liq 164
Hydrogenation
benzylideneaniline 336
catalyst rhodium acetylacetonate phosphite 167
Hydrolysis
cobalt ammine glycinato kinetics mechanism 338
copper 2 equil 1
kinetics ruthenium propanediylbisbipyridinium ammine 354
nitrogen heterocycle iron chelate electronic 419
Hydroxoalaninato
chromium hydrate susceptibility 161
Hydroxy
oxo peroxo vanadate structure 353
Hydroxyiminobutanone
benzoylhydrazone copper nickel 57
Hydroxylammonium
tungsto cobaltate oxidn kinetics 218
Hydroxyphenyldiazepine
reaction transition metal 437
Hydroxyphenylsalicylideneaminato
rhenium oxo 121
Hydroxyphenyltetrazacyclotetradecadiene
macrocycle copper nickel cobalt 188
Imadazole
palladium platinum quinazolinone 469
Imidazolato
deriv iridium rhodium thiocarbonyl 28
Imidazole
cobalt dimethylglyoximato complex 422
molybdenum oxo salicylideneaminophenolato 262
Imidazolidinethione
gold 178
Imidazolium
cuprate halo 149
Imido
rhenium chloro phosphine 151
IMP
iron complex 90
IR
tricobalt carbonylmethylxanthato sulfido 344
vanadate oxo hydroxy peroxo 353
Iridium
thiocarbonyl azolato 28
Iron
acetylpyridinethiosemicarbazonato selenosemicarbazonato mass spectrum 141
carbonyl sulfido heteronuclear cluster 21
chloride aq isopropanol compn 108
chloro oxo binuclear ferricenium 135
cobalt cyano ammine 466
EDTA substitution kinetics cyanide 220
halide complex characterization EPR 351
HEDTA cyanohydroxy complex substitution 227
heterocycle complex electronic nucleophilicity 419
niobium complex chiral 291
nucleotide complex 90
nucleotide complex correction 356
phenanthroline cyano hydrate thermolysis 348
silyl cyclopentadienyl 210
thiosemicarbazone 264
Isonitrile
manganese carbonyl diphosphine 19
molybdenum tungsten protonation alkylation 427
Isopropoxide
niobate tantalate copper 473
Isothiocyanate
ammine cobalt kinetics oxidn 84
Isoxazolium
cuprate halo 149
Kinetics
anation cobalt 3 azaoctanediamine 252
complexation nickel Schiff base 310
complexation uranium salicylate deriv 325
exchange oxygen water vanadate 181
hydrogen exchange cobalt ethylenediamine 164
hydrolysis cobalt ammine glycinato base 338
hydrolysis ruthenium propanediylbisbipyridinium ammine 354
mechanism aminoalc oxidn cerium 379
oxidn cobalt cysteinsulfenato ethylenediamine periodate 401
pyridine carbonyl molybdenum mechanism 323
ruthenium catalyzed oxidn. aminoalc 281
solvolysis cobalt chloro complex 223
Lead
aquation catalyst chromium oxalate 147
diaminebismethylenephosphonato 60
Linear
free energy relation substitution 220
Lithium
silyl reaction cyclopentadienyliron bromide 210
Macrocycle
azacyclotetradecane copper nickel 396
dipicolinylhydrazone butanedione transition metal 115
hydroxyphenyltetrazacyclotetradecadiene copper nickel cobalt 188
nickel tetraaza 100
Magnetism
alkali ammonium fluoro nickelate 321
Manganese
cadmium citrate complex 11
carbonyl diphosphine isonitrile nitrile 19
diacetylpyridine dioxime 255
diaminebismethylenephosphonato 60
dioxide prodn 258
phenylenebissalicylideneiminato electrochem 370
transition metal cyclohexanediaminetetraacetato 432
2 peroxysulfuric oxidn kinetics 258
Mass
spectrum acetylpyridine thiosemicarbazonato metal 141
Mechanism
complexation uranium salicylate deriv 325

hydrolysis cobalt ammine alaninato base 338
kinetics aminoalc oxidn cerium 379
molybdenum carbonyl pyridine kinetics 323
racemization metal chloro ethylenediamine 331
Schiff base hydrogenation 336
Mepirizole
copper 460
Mercapto
iron carbonyl hydrido cluster 21
Mercaptoalkylpiperidine
nickel cadmium copper silver 233
Mercaptophenylquinazolinone
palladium platinum 469
Metal
carbonyl catalyst hydrogenation 336
chelate reaction ozone kinetics 15
chloro ethylenediamine racemization mechanism 331
Metalated
ortho phosphite rhodium 385
Micelle
copper dodecanoate org solvent 212
Michael
retro reaction metal hydroxyphenyldiazepine 437
Moessbauer
spectra acetonitrilechlorotitanocene chloroferrate 393
Mol
structure acetonitrilechlorotitanocene chlorofer= rate 393
structure copper nickel dehydroacetoethylenedii= mine 375
structure vanadate oxo hydroxy peroxo 353
Molybdate
binuclear sulfido ethanedithiolato structure 81
cyano oxo 271
Molybdenum
acetylacetonato oxo prepn polemic 319
aminocarbyne diphosphinoethane 427
binuclear aminopyridine phosphine aminocarbox= ylato 191
carbonyl pyridine kinetics 323
carbonyl pyridine kinetics mechanism 323
carbonyl thiazine reactivity solvatochromism 274
chloro dimethylphenylphosphine 29
diethyl ether chloro 194
oxo amine Schiff 45
oxo salicylideneaminophenolato imidazole 262
oxo Schiff base ethanolamine 54
Morpholinoacetato
prepn 417
Naphthaldehyde
ethanolamine Schiff molybdenum 54
Nickel
amination catalyst heterogeneous phase 47
aminoazaheptenoato pyridine 185
aminoethylsulfoxide thiadiazacyclononane oxide 382
cadmium binuclear citrate complex 11
catalyst cyclodimerization propargylamine 350
cimetidine 214
cobalt cyano ammine 466
dehydroacetoethylenediimine structure 375
diaminebismethylenephosphonato 60
fluoroacetylacetonato reaction diazepine deriv 437
hydroxyiminobutanone benzoylhydrazone 57
hydroxyphenyltetrazacyclotetradecadiene 188
macrocycle dipicolinylhydrazone butanedione 115
mercaptoalkylpiperidine 233
nitro diamine 340
oxotetraazacyclotetradecane 396
perchlorate redn electrochem 8
phenylenebissalicylideneiminato electrochem 370
pyridylphenylacetonitrile 387
Schiff aminophenylbenzimidazole salicylaldehyde 410
Schiff base complexation kinetics 310
tetraaza macrocycle XPS 100
thiocyanato dimethylpropanediamine conformer 476
thiosemicarbazone 41
transition metal cyclohexanediaminetetraacetato 432
Nickelate
fluoro alkali ammonium magnetism 321
Niobate
copper isopropoxide 473
Niobium
metal complex chiral 291
Nitrile
manganese carbonyl diphosphine 19
Nitro
nickel diamine 340
Nitrogen
complex chromium CDTA EDTA 247
heterocycle iron chelate hydrolysis electronic 419
heterocycle rhodium complex 288
heterocycle rhodium complex correction 480
Nitrosyl
complex review 118
iron cobalt ammine 466
NMR
alkynyl gold silver complex 207
cobalt ethylenediamine proton exchange 164
Nucleophilicity
heterocycle complex electronic structure 419
Nucleotide
iron complex 90
iron complex correction 356
Org
solvent micelle copper dodecanoate 212
Organolanthanide
chem review 118
Organometallic
chem review 118 439
chem transition metal review 31
compd review 357
Oxalate
chromium lead aquation catalyst 147
Oxalato
copper pyrazolylmethanide 5
Oxidn
aminoalc cerium ruthenium catalyst 379
cobalt cysteinsulfenato ethylenediamine periodate 401
ferric chloride pyridylacetonitrile 243
kinetics cobalt ammine isothiocyanate 84
kinetics hydroxylammonium tungsto cobaltate 218
kinetics manganese 2 peroxysulfuric 258
nonaq alc perruthenate 98
Oxidn.
ruthenium catalyzed kinetics aminoalc 281
Oxo
hydroxy peroxo vanadate structure 353
Oxotetraazacyclotetradecane
protonation copper nickel 396
Oxygen
exchange kinetics water vanadate 181
transfer catalytic review 439
Ozone
reaction metal chelate kinetics 15
Palladium
bipyridyl substitution heterocycle 238
cobalt cyano ammine 466
Penicillamine
copper terpyridine 50
Perchlorate
kinetics oxidn cobalt complex periodate 401
Periodate
oxidn cobalt cysteinsulfenato ethylenediamine 401
Peroxo
hydroxy oxo vanadate structure 353
vanadate oxo alkali sulfate 333
Peroxysulfuric
manganese 2 oxidn kinetics 258
Perruthenate
nonaq oxidn alc 98
Phenanthroline
iron cyano hydrate thermolysis 348
molybdenum Schiff 45
osmium ruthenium carbonyl 236
palladium platinum quinazolinone 469
substitution molybdenum carbonyl pyridine 323
Phenothiazine
aminoalkyl platinum chloro 106
Phenylenebissalicylideneiminato
transition metal electrochem 370
Phenylenediamine
molybdenum Schiff 45
Phenylenediaminebismethylenephosphonato
metal complex 60
Phenylglyoxaldimethylaminoanil
transition metal 24
Phosphine
electroredn nickel 8
molybdenum binuclear 191
Phosphinoethane
rhenium thiolato 463
Phosphinomethylsilane
transition metal complex 435
Phosphite
rhodium ortho metalated 385
substitution rhodium carbonyl acetylacetonate 167
Phosphonato
diaminebismethylene metal complex 60
Photoelectron
spectra acetonitrilechlorotitanocene chloroferrate 393
Phthalate
platinum blue 153
Picoline
amino oxide copper 201
palladium platinum quinazolinone 469
Piperidinodithiocarboxylato
transition metal Group IIB 284
Piperidylalkylthiolato
transition metal 233
Platinol
chem review 196
Platinum
ammine chloro chem review 196
benzoate phthalate blue 153
bipyridyl substitution heterocycle 238
chloro aminoakylphenothiazine 106
cobalt cyano ammine 466
homonuclear cluster review 441
mercaptophenylquinazolinone heterocyclic base 469
propanamine hexanamine 76
Potential
redox phenylenebissalicylideneiminato transition metal 370
Potentiometry
complexation equil computer program 1
Propanamine
platinum 76
Propanediylbisbipyridinium
ruthenium ammine 354
Propanol
kinetics oxidn cobalt complex periodate 401
Propargylamine
cyclodimerization nickel catalyst 350
Propylenediamine
pyrrolealdehyde acetylpyrrole Schiff copper 307
Proton
donor rhodium complex reaction 385
Protonation
oxotetraazacyclotetradecane 396
Pyrazolato
deriv iridium thiocarbonyl 28
Pyrazole
platinum quinazolinone 469
Pyrazolylborato
copper 5
Pyrazolylmethanide
copper 5
Pyrazolylmethyldiaminoethane
copper 390
Pyridine
cobalt dimethylglyoximato complex 422
copper bipyridine pyridinedicarboxylato 316
kinetics carbonyl molybdenum mechanism 323
oxide pyrrolidinomethyl pyrrolinomethyl copper 131
palladium platinum quinazolinone 469
Pyridinedicarboxylato
copper bipyridine pyridine 316
Pyridylacetonitrile
transition metal 243
Pyridylphenylacetonitrile
oxidn cupric halide 387
Pyrimidine
platinum quinazolinone 469
Pyrrolealdehyde
propylenediamine Schiff copper 307
Pyrrolidinomethylpyridine
oxide copper 131
Pyrrolinomethylpyridine
oxide copper 131
Quinazolinone
palladium platinum 469
Quinolylbenzimidazole
copper halo 249
Quinolylbenzoxazole
copper halo 249
Racemization
metal chloro ethylenediamine mechanism 331
Reactivity
heterocycle complex electronic structure 419
Redn
electrochem nickel perchlorate 8
Redox
potential phenylenebissalicylideneiminato transi= tion metal 370
Review
disulfur dinitride coordination compd 361
organometallic compd 357
oxygen transfer cluster organometallic 439
platinol chem 196
platinum homonuclear cluster 441
transition metal catalyst 278
transition metal chem 118
transition metal organometallic chem 31
Rhenium
carboxylato aminothiazolato crystal structure 413
hydroxyphenylsalicylideneaminato oxo structure 121
imido chloro phosphine 151
phosphinoethane thiolato 463
Rhodium
carbonyl acetylacetonate substitution phosphite 167
nitrogen heterocycle complex 288
nitrogen heterocycle complex correction 480
phosphite ortho metalated 385
thiocarbonyl azolato 28
Ruthenium
ammine propanediylbisbipyridinium electrochem 354
arsine bipyridine phenanthroline 236
bipyridine untriacontanylbipyridne 117
catalyst aminoalc oxidn cerium 379
catalyzed oxidn. kinetics aminoalc 281
Salicylaldehyde
aminophenylbenzimidazole Schiff copper nickel 410
ethanolamine Schiff molybdenum 54
Salicylate
deriv complexation uranium kinetics mechanism 325
Salicylideneaminato
hydroxyphenyl rhenium oxo 121
Salicylideneaminophenolato
molybdenum oxo imidazole 262
Salicylidenebenzoylhydrazide
molybdenum amine 45
Schiff
aminobenzimidazole tin titanium vanadium 424
aminophenylbenzimidazole salicylaldehyde copper nickel 410
base ethanolamine molybdenum oxo 54
base hydrogenation mechanism 336
base nickel complexation kinetics 310
base vanadyl chloro 66
ethylenediamine acetylacetone copper nickel 185
hydroxyiminobutanone benzoylhydrazone 57
molybdenum oxo amine 45
propylenediamine pyrrolealdehyde acetylpyrrole copper 307
Selenito
cobalt 3 aquation kinetics 171
Selenocyanato
nickel dimethylpropanediamine 476
Selenosemicarbazonato
acetylpyridine complex mass spectrum 141

Selenosemicarbazone
iron 264
Semicarbazone
vanillin transition metal 94
Silabutenylphosphine
metal complex 435
Silapropanediphosphine
metal complex 435
Silver
alkynyl complex NMR 207
mercaptoalkylpiperidine 233
Silyllithium
reaction cyclopentadienyliron bromide 210
Solvate
trichloroacetate ferrocene correction 480
Solvatochromism
molybdenum carbonyl thiazine reactivity 274
Solvent
effect ferrocene tetranitromethane complex 96
Solvolysis
cobalt azido ethylenediamine complex 223
kinetics molybdenum carbonyl 274
Soly
copper dodecanoate org solvent 212
Stability
copper nickel oxotetraazacyclotetradecane 396
Stannic
antimonophosphate cation exchanger 69
Structure
acetonitrilechlorotitanocene chloroferrate 393
cobalt gold carbonyl triphenylphosphine 113
copper bipyridine pyridine pyridinedicarboxylato 316
copper mepirizole 460
copper morpholinoacetato 417
copper nickel dehydroacetoethylenediimine 375
copper pyrazolylmethyldiaminoethane 390
copper thienylbenzimidazole acido 295
gold imidazolidinethione 178
iron selenosemicarbazone 264
molybdate binuclear sulfido ethanedithiolato 81
molybdenum chloro dimethylphenylphosphine 29
nickel diaminopropane nitro 340
rhenium carboxylato aminothiazolato 413
rhenium hydroxyphenylsalicylideneaminato oxo 121
transition metal dinuclear cyclohexanediaminetetraacetato 432
tricobalt carbonyl methylxanthato sulfido 344
vanadate oxo hydroxy peroxo 353
Substitution
heterocycle bipyridylmetal complex 238
iron HEDTA cyanohydroxy complex 227
linear free energy relation 220
osmium ruthenium hydrido arsine 236
phosphite rhodium carbonyl acetylacetonate 167
Sulfate
alkali vanadate oxo peroxo 333
Sulfido
cobalt carbonyl xanthato 344
iron carbonyl heteronuclear cluster 21
Sulfinylethane
transition metal 241
Susceptibility
hydroxoalaninato chromium hydrate 161
Tantalate
copper isopropoxide 473
Terpyridine
copper amino acid 50
Tetraaza
macrocycle nickel 100
Tetraazacyclotetradecadiene
hydroxyphenyl transition metal 188
Tetranitromethane
ferrocene complex solvent effect 96
Thermolysis
iron phenanthroline cyano hydrate 348
Thiadiazacyclononane
oxide transition metal 382
Thiazolato
amino rhenium carbonyl phosphine 413
Thienylbenzimidazole
copper acido 295
Thiocarbamato
copper 5
Thiocarbonyl
iridium rhodium azolato 28
Thiocyanate
deaquation cobalt azaoctanediamine 252
Thiocyanato
nickel dimethylpropanediamine conformer 476
Thiolato
ethanedi dimolybdate oxo sulfido 81
rhenium phosphinoethane 463
Thiosemicarbazido
benzoyl uranyl 328
Thiosemicarbazone
iron 264
vanillin transition metal 299
Thiourea
transition metal 24
Tin
rhodium complex 288
Schiff aminobenzimidazole benzaldehyde salicylaldehyde 424
Titanium
aluminum diene reaction 302
chloro pyridylacetonitrile dicyanodipyridylethane 243
Schiff aminobenzimidazole benzaldehyde salicylaldehyde 424
Titanocene
allyl prepn isomerization 302
chloroferrate acetonitrilechloro crystal structure 393
Transition
electronic copper complex distortion 460
metal catalyst review 278
metal cation exchange antimonophosphate 69
metal chem review 118
metal cimetidine 214
metal cyuano cobalt ammine 466
metal dinuclear cyclohexanediaminetetraacetato structure 432
metal hydrazoneoxime 175
metal macrocycle dipicolinylhydrazone butanedione 115
metal methylpiperidinodithiocarboxylato 284
metal mixed citrate complex 11
metal organometallic chem review 31
metal phenylenebissalicylideneiminato electrochem 370
metal phenylglyoxaldimethylaminoanil thiourea 24
metal phosphinomethylsilane complex 435
metal piperidylalkylthiolato 233
metal pyridylacetonitrile dicyanodipyridylethane 243
metal reaction hydroxyphenyldiazepine 437
metal sulfinylethane 241
metal thiadiazacyclononane oxide 382
metal vanillin semicarbazone 94
metal vanillin thiosemicarbazone fungicide 299
Triacontanol
prepn 117
Triazenido
rhenium complex thermolysis 151
Trichloroacetate
solvate ferrocene correction 480
Triphenylphosphine
cobalt sulfido carbonyl xanthato 344
Triphos
molybdenum binuclear acido 191
Tungstate
cyano oxo 271
Tungsten
aminocarbyne diphosphinoethane 427
carbonyl sulfido heteronuclear cluster 21
complex alkyne metathesis review 196
diethyl ether chloro 194
gluconate complex formation 405
Tungsto
cobaltate hydroxylammonium oxidn kinetics 218
Untriacontanylbipyridne
ruthenium bipyridine 117
Uranium
complexation salicylate deriv kinetics mechanism 325
Uranyl
benzoyl thiosemicarbazido 328
Vanadate
oxo hydroxy peroxo structure 353
oxo peroxo alkali sulfate 333
water oxygen exchange kinetics 181
Vanadium
chloro pyridylacetonitrile dicyanodipyridylethane 243
oxo phenylenebissalicylideneiminato electrochem 370
Schiff aminobenzimidazole benzaldehyde salicylaldehyde 424
Vanadyl
phenylenebissalicylideneiminato electrochem 370
Schiff base chloro 66
Vanillin
semicarbazone transition metal 94
thiosemicarbazone transition metal 299
Water
vanadate oxygen exchange kinetics 181
Xanthato
cobalt sulfido carbonyl 344
XPS
nickel tetraaza macrocycle 100
Zinc
cadmium citrate complex 11
diaminebismethylenephosphonato 60
fluoroacetylacetonato reaction diazepine deriv 437
phenylglyoxaldimethylaminoanil thiourea 24
pyridylphenylacetonitrile cyanopyridylethane 387
transition metal cyclohexanediaminetetraacetato 432